

UltraSnap PRO

© 2019 Mediachance

Table of Contents

Part I Introduction	1
1 Welcome	1
2 What's new in version 4	1
Part II Ultra-Snap PRO	2
1 Basics	2
2 Types of capture	4
3 Hot-Keys	5
4 Advanced Export	5
5 Multiple Documents	7
6 Multiple Monitors	7
7 Capture mode	8
8 Set of Resize Tools	10
9 History	11
10 Editing	12
Edit Mode	12
Main Screen	13
Basics	14
Canvas Size and Color	16
Standard Tools	18
Text Object	21
Shapes	22
Bitmaps	24
Bitmap Tracing	26
Unify, Simplify Polynomize	29
Shrink, Inflate, Increase or Simplify Poly Count	32
Cut with Object	32
Set Anchor	35
Export to Illustrator	37
Interactive Sharpen	37
Export Crop Tool	39
Place Inside	40
Crop Object	42
Squeeze	43
Style Palettes	46
NPR styles	48
Packages	50
Liquify	51
Object Palettes	53
Magnifier Object	55
Other tools	56
Clipboard Functions	58
11 PDF Pages	59
12 Tips and Tricks	63

Index

64

1 Introduction

1.1 Welcome



UltraSnap was originally written for our internal purpose, to speed up process of creating multimedia presentations, training, manuals and web pages and to simplify resizing digital photos to be sent by e-mail. Because it performed beyond any expectations we decided to make it available for public. That was more than 10 years ago...

Since then UltraSNAP grew into an always ready quick graphics productivity tool with many tools and features that cannot be easily found in other packages.

Note: Through the text you may see used UltraSNAP and UltraSNAP **PRO** interchangeably - there is in fact only a **single** version of the software. The PRO suffix was added when a full editing capabilities were added in version 2 to differentiate it from much simpler first version.

1.2 What's new in version 4


The version 3.x was probably the oldest and longest running workhorse in our office. But it was time for a large scale update!

- Works in Windows 10 and its new way of display scaling and monitor DPI
- Saves all data in User space
- Adds multipage PDF export - a quick way to capture screenshots one after another and then save the result as a PDF document.
- Numerous enhancements in the Editor Mode:
 - Color Wheel
 - Transparency editing, pick transparency etc...
 - Vector Tracing
 - Many other enhancements
- Improved capture from multiple monitors (ver.3 didn't like when the monitors had different resolutions)
- The trial version doesn't expire - instead it show small overlay on bottom of capture.
- Many other fixes and smaller additions.
- Export to illustrator

2 Ultra-Snap PRO


2.1 Basics

UltraSnap PRO has two modes:




- [Capture mode](#) (aka Quick Mode)
- [Edit mode](#)

The capture mode works like a clipboard pipe. Whatever you grab from the screen will automatically appear in the clipboard. The same apply if you change any settings in this mode; including size, drop shadow, sharpening etc... The idea is that a next capture will automatically use these settings as well thus speeding up a process of capturing images. (for example making all your grabs 70% smaller and sharpened)



The Edit mode is for adding multiple captures into single image, adding arrows, cursors, resizing objects and creating small graphics like buttons, banners, photos with caption, visual tutorials etc.




You can grab screen in both modes! In Editing mode the screen grabs will pile up allowing you to combine them into one image.

Minimize, Close, Exit

- When you Minimize the UltraSnap it minimize to the task bar as any other Windows program.
- When you click close button the UltraSnap hides to the tray.

It is visible just by a small icon in the tray. It is still active and it waits for your [Hot-Key](#) to start the capturing process.



To Exit the UltraSnap you have to select Exit from the File menu.

Invisible - in Tray (default YES)

The best is to load UltraSnap on the Start Up (default).

Then you of course you want to load it invisible - in the tray. Just open the menu Capture and select Settings. Check *Start Invisible in Tray* (default)

Restore After Capture (default YES)

This options brings up the UltraSnap window after the capture. This assumes you want to make some

corrections (change size, sharpness, or enter to [editing mode](#). You can switch off this check box if you for example planning to make a series of automatic captures.


Auto Send Clipboard (default YES)

UltraSnap can send all the captured images to the clipboard when you check on this option. The image is sent to the clipboard every time you make a change. Simple rule: what you see in UltraSnap is also in clipboard.

Note: You can also Paste an image to the UltraSnap..

Auto Save to disk (default NO)

UltraSnap can save automatically each capture to the new file if you use this option. You need to first specify the directory, file name and format. The name will increment automatically.



There is also a button called Save Now that is enabled when the Auto Save to disk is set to NO. This can be used to quickly save current screen capture without any other input. It will automatically increment the name and save the capture in the previously selected format and folder.

Drag and Drop: Enable D&D to Explorer

You can use the Drag and Drop feature to simply drag an image from UltraSnap to any other windows program which supports Drag and Drop. For example you can drag it to Windows Explorer and it will create the file right where you drag it. Or you can drag an image to the e-mail client to send it to your friends.

Capture Cursor (*Capture - Cursor - Include Cursor*)

You can set the UltraSnap to include the cursor (1) on the captured image. This is usable only in region capture mode if you invoke it with Hot-Keys. You can also capture the cursor with a drop shadow (2) or a healthy red glow (3).



Note: Adding normal cursor is easier in the [Edit mode](#). However including cursor during capture is good if we would like to capture a different type of cursor, that is not available in the objects.



2.2 Types of capture

Region Capture

The most frequently used Capturing is the Region Capture. This will let you draw a rectangle on the screen - the exact rectangle you need in your capture.

Keyboard

During the capture you can use also the Arrow Keys on your keyboard for exact pixel-by-pixel steps. If you need to click you can use Enter as well.

Zoom

You can make even more precise capturing by turning Zoom on. Just simply click **Right** Mouse Button during Region Capture or with key Z on your keyboard. This will come very handy if you require exact - edge to edge capture.

Window Capture

Window capture will let you capture the exact size of the window under mouse cursor by drawing a red frame around it. But not only that, as you move the mouse cursor over windows items like list boxes, combo boxes, edit boxes, buttons, text, menus or other items you will see they can be selected as well! To capture just a combo box for example was never been easier.

This is very useful for writing manuals for your software!

Full Screen

This will capture the full screen. If you have multiple monitors, the screen where is the cursor will be captured.No other input is needed.

Repeat Last

This will capture the last region.

2.3 Hot-Keys

There are predefined system-wide Hot-Keys for each capture operation (note this may not be true in the version you downloaded as things were changing often):

Capture Region	Ctrl+1
Capture Window	Ctrl+2
Capture Full Screen	Ctrl+3
Repeat Last Capture	Ctrl+4


Any time you need to make a capture, just press the hot key combination.

Of course you can define your own Hot-Keys. In Menu *Capture* - open *Hot-Keys* item... The rest is simple, but make sure you don't put already used system-wide hot key by some other programs (like ICQ) or a Hot-Key which conflicts with shortcut in a program you planning to capture from (like MS Word)

Therefore it is wise to use Hot-Keys that are combination of two or three keys, like Ctrl+Shift+R

2.4 Advanced Export

Beside the clipboard and Auto-save to disk mode, you have an advanced export for both Capture and Edit mode.



There are few formats you can export to:

- JPG format where you can set the Quality, Subsampling and DPI. The Subsampling will enhance the red color and it is recommended to set it ON. The DPI is just a flag that is saved in JPG file. It doesn't change anything in the file itself, you can set it 1 or 1000 and the file will be exactly the same. However some software like to read this info.

Progressive format will allow to display the whole JPG on web pages right away with a low quality and as it loads the quality clears up. (As opposite of loading the image from top line by line) This was useful when the internet used to be slow so you actually could see the image loading. While browsers support progressive JPG many graphics software do not!

- BMP format: 24 bit (True color), 8 bit (255 colors) and customized colors. The only reason to have less than True color is a size of the output file.
- PNG - same as BMP above, however PNG uses highly compressed data so its file size is always much smaller than BMP.
- Transparent PNG. This is 32 bit PNG file with alpha transparency (see note below)
- GIF file. GIFs are always 256 colors or less and produces small file size. Only one of the color can be transparent (unlike the Transparent PNG that have alpha channel) so a transparent GIF cannot have smooth transparent edges.


Transparency

GIF and PNG files can be saved with a transparency. However, here it depends from which mode we are Exporting the image:

- Capture mode has always solid background. That means if we are exporting from Capture mode, the background color well in the Advanced Export dialog must be set to the color we want to appear as a transparent (white for example). This apply for both PNG and GIF. This obviously doesn't produce the best transparent output for PNG since it always use only one color substitute.
- In Editing mode it is different. The Transparent PNG will simply understand the canvas as a transparent - regardless of what color it is or what is set in color well. PNG uses alpha channel, so the transparency is continuous.

The GIF in Editing mode will also take the canvas as transparent. Here however GIF can substitute only one color as transparent. If background is white, then white will be transparent.

Here is difference between the alpha transparency on PNG and the inferior GIF one color transparency:




We have simple text with a shadow and in (1) we export it as Transparent PNG (in Editing mode). The saved PNG will look good on any background since the transparency is done by alpha channel. It doesn't really matter what background color we use in the Export dialog well.

We do the same but export it to GIF (2) and set the transparent color to be white. The GIF will look fine on white background, but on a green background we will see the white ringing around the shadow. Of course, only one color in GIF can be set as transparent and the shadow has a number of different shades from white to dark.

If we would like to use such GIF on a mainly green background, then we also need to design it on a green background and let the green canvas be transparent (3). This will produce gif that looks funny on white background, but on a green background it looks rather fine.


2.5 Multiple Documents



One important feature of the UltraSnap PRO is the ability to have multiple documents. When you want for example to keep recently captured image for a while while you work on another ones, Instead of saving your capture to disk and then later loading it again you simply open a new document and continue your work. When you want to return to the old capture, just switch to the previous document back. It is the same like working in a Word on a multiple different documents.

This gives you a many ways how to setup your work flow.

To create new empty document just press the New button.



Each of the documents can be switched freely into Capture or Editing mode so you can create rather interesting setup to suit any requirements.

As soon as you switch to a document that is in **Capture** mode, its image will be send to a clipboard (if Auto-send to clipboard is YES).

For example you need to often paste one of a five images to the pages you are working on: Just create five documents in UltraSnap, each in Capture mode and each having different image. To send the image to clipboard, all you need to do is to select the particular document using the tab control. That's it. And you can still make changes to any of the five images.

You can also create many documents in editing mode and then copy and paste objects from one to another one. This way you can work on few images at the same time and reuse various captured components between them.

Also you can paste an image from one Capture mode document into another Editing mode document or copy and paste objects from one document in editing mode into another empty Capture mode document.

Each document also keeps the effects and resizing as local which gives you the opportunity to create few documents where each use different settings.

2.6 Multiple Monitors

UltraSnap is great for multiple monitors settings. It will capture from the monitor where is initially the cursor.

For example in two monitor settings you want to capture screen from left monitor. Move the cursor to the left monitor and press the Hot-Key for Region capture.


When you have only one monitor and UltraSnap is open, as soon as you press capture Hot-Key, the UltraSnap will hide itself in order to capture the screen behind it, then it will restore. However if you are using multiple monitors and the UltraSnap is open in different window than the one you capture from, it does not need to hide and restore itself.

2.7 Capture mode

The Capture mode is the default mode.

It is also called single capture mode since you have only one, (the last) capture visible in the window and each next capture will simply replace the previous. (However you can create many of these single capture windows and switch between them - see more in [Multiple Documents](#))

When Auto-send to clipboard is selected, the Capture mode works like a clipboard pipe. Whatever changes you make to the capture it will be reflected also in the clipboard.



Effects

Effects can be applied to any capture. Just set the combination of effects you like and watch the UltraSnap screen. Each new capture will also automatically have these effects applied. For example you want to add to each capture border, drop shadow or sharpen it. This will be done automatically.

- Border - a thin black border around the image
- Drop Shadow - a drop shadow behind the whole image (the image will be resized in order to accommodate the new shadow)
- Buttonize - a bevel will be applied to the whole image
- Feather - it will make the edges of the image transparent
- Auto Crop - this will crop the image to the its closest borders (for example removing a white border)

Sharpen

Sharpening is important when you resize the image. Make sure you don't over-sharpen the image as it doesn't look professional.

Crisp

Similar to sharpness but it doesn't overpower the image (like creating halo around text). It increase sharpness of only very fine details and it is great to add crispness to resized photos or make small text more readable..



[Resize image](#) (see next chapter)

Photo Filters

A set of filters for changes in color, Gamma or contrast. Great for pictures but also very useful for making clear and more contrast look to Windows captures.

- Auto Level Histogram will stretch the histogram to the full scale. This works best for pictures - it will improve the whole contrast of the digital image by making sure that the colors are stretched to full scale.
- Adjust Gamma. Gamma works for midtones. Moving gamma to higher numbers will push midtones towards the lighter color and vice-versa. Excellent for digital images. Bad image is usually because of the wrong gamma.
- Desaturate will simply make the image black and white.
- Color Boost will make the colors more vibrant by enhancing the in between color contrast.
- Contrast and Brightness- the overall contrast and brightness of image

Tip: You can save your favorite settings to the library of presets.


Presets

You can save your favorite presets to the Presets List. Set your effects and then use the Add preset button (+)

You can also delete unwanted preset. Just select it and then press Delete preset button (X).

Quick Note (Capture - Quick Note...)

The quick note is used to add a text under the image without actually going to edit mode. The font is also similar to a normal screen font.



To remove Quick note simply click on its button again and remove any the text from the text box.

Quick Crop (Capture - Quick Crop)

The quick crop will allow you to crop a large previously captured image right in the capture mode. Unlike other effects, this is non reversible. The cropped image edges are gone. This is good option if we didn't capture a region exactly as we liked.

Keyboard

During the Quick Crop you can use also the Arrow Keys on your keyboard for exact pixel-by-pixel steps. If you need to click you can use Enter as well.


Zoom

You can make even more precise crop by turning Zoom on. Just simply click Right Mouse Button during

Quick Crop or with key Z on your keyboard. This will come very handy if you require exact - edge to edge crop.


2.8 Set of Resize Tools

To have easy way to switch between different sizes we included 3 sets of resize settings, each can have different options. It is very easy to switch between them, for example when creating thumbnails of fixed width etc.



Resize (3 sets)

You can let UltraSnap dynamically change the size of the image. Just click the Set (...) button near the Resize checkbox to open the Resize properties. There are 3 sets of resize, each can have different specifications and you can simply switch between them.



You can chose the way you want to resize the image:

- **Resize to % of original.** If you set 75% for example all your captures will be resized to 75% of the original.
- **Maximum Width.** If the image width is bigger than the maximum width the image will be resized to it. The proportion of the image will of course stay the same. This way all your images will have maximum specified width. If the captured image has smaller width, it will stay unchanged.
- **Maximum Height.** The same as for width but this time the Height is watched.
- **Must fit into box.** If the captured image is bigger in any direction than the specified Width and Height the image will be resized so it always fit in that rectangle. (Proportions will stay the same of course). In other way - it will never be bigger than the specified rectangle.
- **Force resize to (Width and Height)** -this will also change the proportions (aspect). The image will always be resized to that size.


Tip: It is always a good idea to use Sharpening if you resize image.

Filter: 2 pass Bilinear or Bicubic.

2 pass Bilinear is a special developed process for resizing images and it clearly outperforms any other resizing methods. A further sharpening option must be applied on the resized image.

Bicubic resizing doesn't need any further sharpening. However resized text would not be readable very well. For photography both the 2 pass Bilinear and Bicubic produce very similar results, but some people may prefer not to apply any sharpening.

We suggest to use the 2 pass Bilinear for all resizing of most graphics.



2.9 History

You can show the list of Auto-Saved or Dragged out images in a History browser.



This is a good option to check if you already done some particular image. You can also load the image back to Capture mode by simply double-clicking on its thumbnail in History.


Delete

Pressing Delete key on selected thumbnail will permanently remove that image from your drive.

2.10 Editing

2.10.1 Edit Mode

Edit mode is where the real fun starts. After you capture the image in Capture mode you can switch to Edit mode to continue working on it.



The editing mode can be used to:


- add object to the captured image, for example add cursors, arrows or description text.
- capture multiple images into one document and then manipulate them to create one composite image
- resize and sharpen each component image separately
- add effects (drop shadow, bevel, transparency) to each component separately
- and much more

Whenever you are done with editing just click *Finish Editing* and the image will be all transferred into the Capture mode and to the Clipboard. (And as we showed previously, when you are back in the capture mode you can still apply the standard global effect on the top of the whole image.)



A great thing about UltraSnap PRO is that you can always go back to Editing mode and continue modifying the image!

2.10.2 Main Screen



① Palette

The formatting settings are all in the Palette. From here you can change color, transparency, bevel or shadows. Palette is also used to add arrows or cursors.

② Canvas

The canvas is without predefined size. When you jump to Editing mode, there will be a gray dashed rectangle showing you the original size of the image that has been transferred from the Capture mode. But in Editing mode you don't have to stay within its rectangle. You can place objects anywhere and when you Finish Editing the canvas will be cropped to the smallest rectangle to accommodate all the objects. See [more](#).

③ Drawing Tools

These tools are used for drawing rectangles, circles, lines and for other basic editing.

④ Formatting & Layer Tools

Tools for bringing objects back or up and alignment tools

2.10.3 Basics

Select an Object



If you want to select, move or resize an object you use the Object Selector tool.

With the Object Selector tool, you can select an object by clicking on the visible part of the object.

You can resize the object by pulling on one of the 8 handles. The bottom right handle (in gray color) is for resizing in all directions, the other 7 handles always resize in their direction. (For example: the middle left and right handle will resize only in the horizontal direction.)

Select more objects at the same time

Often, you would like to select more objects at the same time and then move, resize, or apply a command.

To select two or more objects use one of these:

- Click on the empty part of the canvas - where there is no object - hold down the mouse button and drag a rectangle around the objects. Then release the button. You have to drag around the objects you want to select. Only the objects, which are inside the rectangle, will be selected.
- Click on the object you want to select first: then hold down the SHIFT key and click on the second object. Repeat until all objects are selected.
- Click on first object name in Layer Bar, then hold SHIFT and continue selecting the objects.

To deselect all objects, click outside the selected area. To deselect only one object from the group of selected objects, hold down the SHIFT key and click on a previously selected object.

Tip: During multiple selections, look at the bottom of the screen (the status bar). The text will identify the number of objects you have selected.

The Objects on screen will have a small number in the top left corner - this is the order on which you selected the objects.

Move Objects with Arrows

You can move objects when you have the Object Selector tool selected, but when you have the Shape Tool Selected by default, you can't move the objects.

If you want to move the object in Shape mode, hold the ALT key.

You can move the object in pixel precision in almost any mode by pressing the Arrow keys on your keyboard. If you hold CTRL while you press the arrow key, you will move in increments defined by a grid.

Groups


Groups are logical selections in the main document. You don't get fewer objects, you just move all objects with the group. Select two or more objects and press CTRL-G (or from the Menu: Object- Group). The group has a red border. You can move or resize grouped objects, and you can also change the parameters of whole group. To un-group a group, press CTRL-U (or from the menu: Object - Ungroup) Objects dragged from Arrows or Objects palette will be grouped if they have more than one object inside. (numbered bullet for example)

Change Color

The color of the vector objects can be changed with the color palette or right click on the object and from the pop-up menu select Change Color or Color Pick.

Guidelines

To place guidelines on the canvas, simply drag and drop them from the rulers. Guidelines are used to snap objects to them.



Guidelines can be locked: menu Edit - Lock Guidelines

To remove guideline you can just drag them back to the ruler - either vertical or horizontal. You can place the guidelines by specifying the exact pixel size in the menu Edit - Edit Guidelines and Grid. This is mostly useful if you use [Static Canvas Size](#) (one that doesn't resize with the objects). This way you can create a template that can be saved as a Project file (Save Project As) and then reused any time later.

2.10.4 Canvas Size and Color

Dynamic Canvas

A canvas in editing mode is generally without a particular size because as soon as you go back to Capture mode the background will be resized to accommodate all the objects on canvas.

The canvas size is by default set to the size of the captured image when we entered the Edit mode. This is indicated by the gray dashed rectangle on canvas. Again, it doesn't limit you, you can place objects anywhere inside or outside this rectangle.

However there are cases when we may think about the size of canvas.

- zooming out will reveal objects only inside the canvas
- the scroll bars are calculated from the size of the canvas
- the magnifier effect works only inside the canvas

Composition Editor-Trim Canvas will resize the canvas directly in editing mode to accompany all the objects.

Canvas Color.


You can change the canvas color in menu *Composition Editor - Canvas Color*.

Static Canvas


Composition Editor - Static Canvas Size

In version 4.6 the canvas can be a static - that is set to certain size. Everything outside it will be cropped during export.

This is a great way to produce banners or images if we need a certain size.




Static canvas will behave similarly to an [object crop](#) where everything outside the canvas will be cropped during export or going back to Basic Mode



You can switch back to dynamic canvas using the same tool and choose Reset to Dynamic.

2.10.5 Standard Tools

You create a basic shape by using one of the few predefined shapes: Rectangle, Rounded-Rectangle, Circle, Toroid, Frame. Few of the tools have sub-selections that can be revealed by clicking on the arrow near the tool.



① Rectangles

Draw Rectangle, Rounded-rectangle or frame


② Circle

Draw Circle or a toroid .

③ Arrows

Draw simple arrow and cursor

The arrow is a special shape tool that draws simple arrows. This is great if you make a tutorial, using arrows, to describe elements on the picture.



You start drawing it from the head. Click where you want to have the head of the arrow ① . Release and move the mouse. The next click is the knee of the arrow ② , and then the horizontal line is dragged until you click again ③ .

Tip: If you double click when you are about to draw a knee, the leader of the arrow will stop at that point, making it a simple arrow.

Mouse Cursor

The second choice is a Mouse Cursor. If you are working on manual with screen captures you will know


the importance of this tool.

Simply select the tool and click anywhere on the document. A standard Mouse Cursor object will be added.

You can hold CTRL to draw Mouse Cursor with shadow (great to enhance the appearance of it) You can always remove or adjust the shadow with the Shadow Palette.

④ Shape tools

With these tools you can create new shapes - paths. You have few optional methods for drawing a Path from scratch.



The Line Tool for (drawing paths with non-curved sides) Pencil (for drawing free paths) and the Curve Tool (Bezier Curve)

- Curve Tool.

With this tool you can create lines and Path paths by drawing Path points. Select the Curve tool and click where you want to have the start point. If you release the mouse button right after the click, you will draw straight lines. If you hold the button and move the mouse, you will draw symmetrical Path points. To stop drawing the Path, use one of the following: a) Double click on the point where you want to finish. b) Click with the Right mouse button on the point where you want to finish. c) Move the mouse over the start point and click - this will create the object as a closed path.

- Pencil Tool

With the Pencil you can draw a free path. Select the Pencil tool and click where you want the start point. Do not release the mouse button, just drag the mouse and release the mouse button at the end of your desired path.

You can create open or closed Paths. While you are drawing, move the mouse back to the Start point and you will see the mouse cursor change to the black arrow with a square. If you release the mouse cursor at that point, the Path will be closed - creating a filled shape.

- Add point to existing path

With the Add Point to Path you can add a point in an existing path. With this tool you have to click on the edge of the object, on the exact spot where you would like to have a new point. By holding the button and dragging the mouse, you will expand the Path handles from that point.

- Smooth Curve Pencil

Like Pencil, but the result will be naturally smoothed out. Good for curves, spirals etc...

New Tools

These tools were added in v.3 and v.4



Liquify - allows you to "liquify" vector or bitmap project, stretch it etc...

Export Crop - crop that will be effective during export

Place inside - place one image inside another shape

Color transparency - pick color that will become transparent in the bitmap

Color Swatch - adds a text color object to the document that spells the RGB of the color. Good for keeping track of colors.

Color Wheel - opens a color wheel to adjust colors

2.10.6 Text Object

This tool allows you to add text

To add text, click the Artistic Text tool and click anywhere on the canvas. A dialog box, to enter the text in, will appear. You can edit the text anytime by double-clicking on the text object or using the shortcut Ctrl-T.



Here you can input the text, select the font, its initial size, choose if it is italic, bold, and also select alignment. Type some text and press OK.

You can resize the text freely after you enter it, so you don't have to set the size if you are not sure what size text you require.


2.10.7 Shapes

Each Path lying on the path point has two detached control handles. You can shape the curve between two points by moving these handles. If you don't see the handles, (for example on a square), this means that the handles are aligned with the main Path point. To drag the handles out of the point, hold **CTRL** and then drag the point. To drag symmetrical handles, hold down the **SHIFT** when dragging the handles.



Hold Ctrl and drag a point to reveal the handles.
Hold down Shift and drag the handle to make the point symmetrical.
To delete a point, press Del.

Note: You can only delete "points". If you delete the handle, the handle will be aligned with the non-deleted point.




Open and Closed path (Break Path)

The Path can be open or closed. When you draw any of the basic shapes, the path is closed. Closed path means the object is filled, whereas, open path shows only an outline.


You can apply any effects, colors, or textures on an open path, as well as on a closed one.

To create Open Path from Closed shape, right click on the object and select Break Path



Break Apart

If an object consist of multiple closed paths, this will break them apart.




For example letter P has two separate closed paths, the outside of the letter and the inside (transparent) loop. After breaking the P apart we can then assign for example a different color to the loop.



2.10.8 Bitmaps

Any screen capture will be considered a bitmap.


There is a huge amount of tools dedicated to the bitmap adjustments.



You have multiple bitmap editing tools such as Hue/Saturation, Brightness/Contrast, Levels and also many effects such as blur or art filters in the Tweak option.

Transparency menu

A normal screen capture is solid - has no transparent, but we can adjust the transparency multiple ways.



We can automatically make the transparency from intensity or from white background. Obviously not all images will be suitable, but it can work well on images on white background.



Pick Transparent Color (also in tools as a button)

This will pick a color range from where you click. You can apply the tool multiple times as its effect is

cumulative, to pick more similar colors.

Reset - will reset the transparency

From Top Object

Place any vector object on top of the bitmap, select both and use From top object. The top object will become a mask for the transparency of the bitmap.



2.10.9 Bitmap Tracing

Various Bitmap tracing is a cornerstone of UltraSnap 4 vector editing to the point of some users using the software just for that function alone.

Tracing and converting to Polynome

Those two functions will produce a vector object from bitmap, but each has different purpose.



Trace



Convert to Polynome

Convert to Polynome - menu Object - Convert - To Polynome

This will convert the image to polynome based on the bitmap transparency. If bitmap has **no transparency** (like a regular image) the result object will simply become just a rectangle.

A transparent bitmap can be imported (example PNG) or created using few transparency tools such as White transparency.



In this example we used White transparency to create bitmap with transparency and then use *Convert to Polynome* - we obtained silhouette of the object.

If we didn't use White Transparency function on the bitmap, the result will be just a rectangle.

An interesting purpose for this tool is that it can be combined with Convert to Bitmap. For example, we can convert many complex vector objects to a single bitmap: Composition Editor - *Convert - To Bitmap* which creates single bitmap with transparency and then convert it back to a single vector object with Convert to Polynome.




The result is a single vector object.

See next chapter about Unify, Simplify and Polynomize


Trace Bitmap.

Bitmap- Trace Shape

The bitmap will be traced to vector based on its intensity of the image. See the image below..



Tracing works really great for line art!.




On the left we have original bitmap, on the right we have traced fully editable Polynome with hundreds of vector lines.

The bigger the input image is, the more precise the tracing will be.

New in 4.8 - Color Tracing

Bitmap- Color Trace


Trace color bitmap into number of separate objects



This function is for color images (but not necessary for color photos, although it can create interesting results)

You need to specify number of colors you want the image to be separated into.

Here is traced image and then the objects were moved out for illustration.



After tracing, you may want to remove or merge objects that do not add more information. See [Set Anchor](#) for a tip on a good workflow.

2.10.10 Unify, Simplify Polynomize



There are many ways how to turn a bitmap into a vector object and back to bitmap. In previous chapter we talked about simple Tracing and Polynome and the difference. One will create vector from the image intensity the other from image opacity. We can also combine multiple vector objects by converting them to a bitmap first then polynomize them.


With so many choices it may not be always obvious what to use on certain objects.

However there is one tool that smartly combine all of them: Unify, Simplify, Polynomize. (USP)



This tool is a one-click combination tool that will decide what to do from the object you applying it to. It can be a bitmap or vector. For example if your object is a bitmap without transparency the tool will perform Bitmap trace. If this is a bitmap with transparency it will perform Convert to Poynome. But that is not all - the tool will equally work on combining multiple vector objects by smartly re-vectorizing them using various hidden inside. Any other adjustment to shape done in UltraSnap will be realized as full vectors. This can be used to simplify very complex vector objects or to create new vector objects from shapes.

In this example the object on left is a simple screen grab from a resource web page. By clicking on the USP button it will turn it into a vector (right)



Once it is a vector we can edit it with the vector tools. However we can also unify it with any other objects and using the USP button again.



On the Left we added a Letter A, then selected both objects and pressed the USP button again. The result will be a single unified vector object that is a full non-separable combination of the two. (**Unify**)

Pressing the button on any vector object multiple times will start **simplifying** the vectors. Here we used it about 10 times to get the vector object on the right side.




The simplify function can be used to make complex vectors smoother and simpler. Just a single use will not change the object visually too much but still it will remove redundant points.

Note: The size of objects do matter! Vectorizing small image will result in a vector with little details. It is often beneficial simply resizing the bitmap image up before vectorizing. Similarly using the USP tool to simplify vectors depends how large the image is. Resizing the complex vector down and then applying USP will simplify it much stronger than if used on a large object.

Tip:


One interesting tip on using USP is to use [Liquify](#) on a vector object then use USP to turn it back into a full vector. This way you can easily tweak and create shapes that would be normally very hard to edit in a vector form in any meaningful way.



We used Liquify on the vector on the left followed by USP to turn it back to full vector.

2.10.11 Shrink, Inflate, Increase or Simplify Poly Count

There are few special tools to work with Polynome shapes and those are especially useful for traced objects.




These tools can be used in sequence (for example we may shrink the polynome few times)

Shrink Poly will shrink the polynome a small step. This will also remove any thin lines.

Inflate Poly will inflate the polynome (make it slightly expand)


Increase poly count will add more points to the polynome - make it more dense.

Simplify will remove dense points from polynome.



In this example we use Shrink Poly on the traced object, followed by Inflate Poly to get it back to the same size, then Simplify Poly. This essentially removed all the unnecessary thin lines and make the polynome rounder.

2.10.12 Cut with Object




This tool will cut the bottom object with the top object as a cookie cutter - creating two separate vector objects from the bottom one.

As we saw in previous chapter we can really start working with the vectors in an unusual way. One tool

that finally combine all these various ideas into one very useful tool is Cut with Object.

In this example we will separate the vector object in two parts.


On the left part we added a simple circle on top of our vectorized image. This circle will be our cutting tool. Now select both and use Cut with the objects. The circle will disappear. Instead we have our bottom object that can be now separated into two complete vector objects where the circle was used as the cutting tool.



Unlike any other vector booleans that you had seen that would often struggle with very complex combinations, this tool can cut through even most complex vectors or the cutting tool itself can be complex.

Imagine if we did it the other way - we can use the vector pattern as our cutting tool and then cut through other objects!

Here is some example, we will cut with a vector pattern on top through the Text object on the bottom which will result in the Text object being split into two interlocking vectors that can then be each used for special effects.




The previous example cut through the text separating it into two interlocking vectors:



It is important to note that all the results are full vectors that can be then exported to Illustrator for example.

2.10.13 Set Anchor

Menu Object - Anchor




Setting anchor will set an "anchor" to the current position of one or multiple objects. That means when we later move the object, we can return them back to the anchor position with Move to Anchor.

This is especially useful for editing complex object that consist of multiple color layers, for example objects that were created with color tracing.

Example:

1. Color Trace image. A vector group will be created on top of the original image.
2. Move the result group out to the side and select it
3. Ungroup
4. Set Anchor
5. Now you can break apart all the objects (explode) to see the individual components.
6. You can delete redundant parts, or merge them.
7. When you are done, select all the objects and use Move to Anchor to get everything back to position.



Select the object and Set Anchor. Now we can move the objects apart to see them.



Some of the color traced objects are redundant (like the different outlines) and we can delete them. We can use **Simplify Poly** on some of the others to simplify them into more basic shapes without unnecessary thin lines.



Select all the Objects and Move them back - move To Anchor



We get a nice simplified vector object.

2.10.14 Export to Illustrator

At this point we can use the simple illustrator export to save our complex vectors and use them in other software.


File: Export to Illustrator.

It is important to note that only the pure vector part of the object will be saved (the paths), not any special effect that you can apply in UltraSnap (it would be impossible, because Illustrator simply doesn't have such effects). Bitmaps will also not be exported. This is purely to get vectors out of UltraSnap.

Clipboard function:

Adobe Illustrator can also use clipboard to import the vectors.


Simply select any vector object(s) and use: Edit-Copy w/ Transparency - Copy Selection as Vector



The objects will be copied to clipboard as vectors in Adobe Illustrator Format and can be pasted back in Illustrator.

2.10.15 Interactive Sharpen


Bitmaps and screen captures have a special property - Interactive Sharpen, and you can access it from the top left corner of a bounding box.



Interactive Sharpen is a great way to individually sharpen a Bitmap (capture) especially after downsizing it. It is a non-destructive effect and you can increase or decrease the sharpness, any time you want, and as many times you want.

It is easy to use, just click on the second top handle of any bitmap or package, and move the slider up or down.

Interactive Crispness



We added secondary, crispness setting. Crispness will enhance the high frequency but will not over sharpen the image. Especially good for small objects.

2.10.16 Export Crop Tool


Often, you might like to export or push to clipboard only a part of the editing screen. We have a Non-destructive Crop tool in UltraSnap just for this case.



Click on the Crop Tool icon and click on the canvas, holding the mouse button down while moving. The same way you would draw a rectangle.

The Crop tool will create a border and everything inside it will export, and you can always move the crop borders using the two red squares.

If you would like to remove the crop, just drag one side of the crop rectangle, over to the opposite side creating a zero crop space and this will remove the crop.




You can also leave the Crop rectangle in place and switch it off with the Crop Tool button. The advantage of this is that the position of the crop rectangle will be saved with the document and you can recall the crop rectangle at anytime by clicking on the Crop Tool.

Note: in version 4.6 a [Static Canvas](#) was added that works similarly to a Crop Tool turning the canvas into a certain size and cropping everything that is outside.

2.10.17 Place Inside

Place inside could be one of the really nifty tools to combine two or multiple objects.

Place inside tool will place one object inside another. A typical example would be to place a bitmap inside a vector object to change its frame.



To use Place inside, click on its icon, then click on the first object (1) and without releasing the mouse drag the arrow into another vector object (2). The result (3) will be an editable vector object with Paint layer. The original object (1) will be still retained (it is not deleted).

Advanced Placements

It is not limited to place bitmap into a vector (but it is probably most useful application), in fact you can place any object or group of objects into any other object.

To place a multiple selection of object, first select the desired objects then click the Place inside icon. You will be immediately drawing the arrow from the center of the multiple selection (no need to click) into another object.



The new object will still retain its color background settings (and all other settings) that can be changed.



Objects inside another objects are now just a bitmap representation and they can't be changed.

Place Inside and NPR.

If we change NPR it will affect only the result object, not the image that was placed inside the object.



If you need objects inside to have NPR, apply it before Place Inside, then apply another NPR to result object.

You can also Place Inside one previous result into another object and to another....




Place Inside into bitmap object.

if you place Inside vector objects into bitmap object you will obtain a transparent bitmap object

You can also place a text inside a bitmap or bitmap inside a text.


You can place a group of objects into object that is inside its own group, Simply when you have selected group, point with the arrow inside an object of that group. (We are not sure how useful that is, but it works)




To remove the paint layer, select object, right click on it and select Remove Paint layer, you will just get the plain vector/bitmap object.

2.10.18 Crop Object


Previously crop tool was used to crop the whole artwork. With Crop object we can crop any objects individually.



With the Crop object tool simply drag the edges to create the crop you need.




It doesn't need to be only a bitmap. Any object on canvas in UltraSnap PRO can be cropped. (note a drop shadow applied to object will not be cropped)



Note: the crop tool is dynamic - it can be changed any time later. If you want to make crop permanent for bitmaps by discarding the invisible parts use: Composition Editor - Bitmap - Make Crop Permanent.

2.10.19 Squeeze

Squeeze tool is one of the later additions that was created to allow nonlinear photo resizing. The idea is that you can squeeze an essential part of the photo from different sides thus pushing it around the image and creating dead space where needed. This is useful for quickly creating unusual sized banners and backgrounds from photos that may be otherwise too complicated to create.



It may not be immediately obvious how the tool is used by just experimenting.

Let's see the main application on an example:

We have image of this swan that we want to turn into a long header banner but we don't have enough image to crop from. We need to add more water on one side.




If you use photoshop you may be already thinking how you can add or clone more water on one side. Because of the way the water texture is shaped in a circle, it isn't that trivial and you may spend considerable time doing it.

The squeeze is here to solve such issues very easy. First we need to resize the image to the desired banner size:



As expected, while the size is now what we want, we definitely need to somehow push the ultrawide swan to one side.

This is where the squeeze tool comes to full play.



By moving the side handle towards the center, the center gets squeezed and pushed away creating a dead space on the left side. Similarly we can move the right handle to create a bit of empty space on the right side as well.


You can also use top and bottom handles if you need to push the image vertically.

Stretching ratio




You may notice a small slider on the bottom of your selected object. This is for setting the edge stretching ratio. Here an example will tell more:

In this case we want to stretch the right side but there isn't much free edges this time. As previously we will resize the image and then push the right edge back to correct the swan. In order to get the swan back to its former aspect we will have to move the right edge way back and it will cross the swans beak - which will comically stretch it.



This is where the Stretching ratio slider is used. By moving the slider back the stretching ratio will change while stretching a smaller edge and thus allowing us to find the correct aspect without crossing the beak.




In the very left slider position the edge that is going to be stretched to fill the dead space would be very thin and so it would become far more obvious. Higher values - towards right side will use wider edge to fill the dead space, but then also the ability to stretch the image will be less.



Stretching other objects.

While the primary use is for bitmaps the Stretch tool can be applied to vector objects as well to get some special effects.




Center handle

Additionally a center handle had been added in version 4.6 to move the window around

2.10.20 Style Palettes

Palettes are the place from where to change the attributes of the objects or add new predefined objects. The Palette bar is normally docked vertically, but you can also use it horizontally.



Basic Styles will change only one particular property of an object

- Color*
- Transparency
- Bevel
- Shadow

*note: You can also change color to exact numbers when you right click on the object and select Change Color. (or in menu Composition Editor)

There are is also special palette that changes combination of attributes at once

- Styles

The last palettes are the ones with placable objects:

- Arrows
- Objects

Working with Style type of palette

Select an object, and then click on the Style you want to apply.

If you apply a Style from the Tab called Color, then only texture and color related attributes will be applied. If the object has other attributes, such as bevel, then these will not be changed. Similarly, if you apply a Style from the Tab called Bevel, the object will change only the bevel attributes.

The next type is the Styles palette.

If you apply Styles, all the attributes will be changed, and the object will keep only its shape.

Add Style to Library

To add an object to the Styles list, you first have to have the Styles list visible, and then select the Tab that you want to store the style under.

Then select the object whose style you want to save, and click on the Styles list with the RIGHT mouse button, and select Add to Styles, and the style will be added to the end of the list.

or

Drag the object from the canvas to the Style list.

You can also use Replace, or Remove a particular Style.


How to copy Style from one object to another

If you don't want to create a permanent Style, then use the simple Paste Attribute command.

Copy an object with the Style that you like, to the clipboard and select Edit-Copy (Ctrl+C), and then select another object, and use Edit-Paste Attributes (Ctrl+Shift+V).

Interactive transparency

When you add linear or circular transparency from the palette the object will switch to transparency editing mode. You can drag the transparency handles to adjust the angle and linearity of the transparency effect.




By moving the start and end handles you not only change the angle (linear and bilinear) but you also determine where the transparency starts and where it ends. You can even move the handle outside the object.

The middle handle is for linearity - by moving it close to the start or end handle will change the linearity of the transparency.

You can also edit the transparency directly in menu - Composition Editor - Adjust transparency

2.10.21 NPR styles


NPR stands for non photo realistic styles. Those styles will emulate various drawing techniques and it is a simple way to add some interesting look to your graphics.



NPR are applied globally to all objects in the image. They affect **vector** objects such as text or shapes but **not bitmaps**.



To choose NPR style, select one from the NPR quick palette.



To remove NPR style, select the first one called None.

Tip: Try to apply different Styles to NPR objects such as Lights or fill styles:

**Preventing object from changing style**

While NPR applies to all objects you can actually freeze objects in their current style (so you can have on one page objects without any NPR or objects with different styles) It can be done by using "packages"

Menu Composition Editor - Grouping - Create Package (Ctrl+E)


A package will freeze the object (or objects) in their current state and create a bitmap representation instead (to which NPR styles do not apply). Packages can be edited inside or Unpacked.

In this example the first text was turned into a package then NPR style was applied. Only the non-packaged text changed.




2.10.22 Packages

Composition Editor - Grouping - Create Package



Packages are special groups that will freeze objects. A package turns selected objects into a single bitmap representation. However, it can be unpacked or edited inside. Packages are used for effect layering.



On the left side we have two objects to which both we applied shadow.


On the right side we have two objects inside a package and we applied shadow on the package. See the difference. The objects in the package behave to the outer world as a single object. Using packages allow us to layer different effects on a group of objects as a whole, which would be otherwise impossible. Because the package behaves to the outside world as a bitmap, we can apply any bitmap editing functions such as Levels, Hue, Saturation, Blur, Sharpening, Liquify, or many of the Tweaks effects.



Edit Inside

We can edit the package without unpacking it - just use Edit Inside function (from right click menu or from the Grouping menu).

To apply the changes back to the main canvas press the OK button in the left top corner.





Reload Package

This will rebuild the bitmap representation from the object inside.

2.10.23 Liquify

We are not sure if it was KAI Power Goo or what was the first software to create this effect but it has been here since then in various forms. Stretching, expanding, shrinking and rotating image under the brush.....



In UltraSnap you can apply the liquify to any other objects, not only bitmaps.




Using it on objects makes it a great tool to organically stretch solid vector objects rather than just making big puppy eyes on all your pictures. The result object still behaves like a vector objects and you can apply more effect and styles on such adjusted object.



The Liquified object still keeps its path of the original objects. On the image above the right object is still a **circle** and if we double click we will see its vector nodes that are unchanged from the original.

We can turn the liquified object into full vector by simply pressing [Unify, Simplify and Polynomize Button](#).




On the left is a liquified object made from a circle that still has the nodes of the original until we press USP button. At this moment the liquified object will turn into a full vector object

2.10.24 Object Palettes

Arrows and Objects

While Styles stores only the attributes of one object, the Object Library can store the whole object or selection of objects. Think of the object library as your Clip Art. You can have any type of object in the library, text, path, bitmap, or any selection of objects.



Get Object(s) from Library

To get an object from the library, just drag and drop a desired clip from the Object Library to the Canvas. You can also get the object by double-clicking on it.

Add Object(s) to Library


To store an object or selection of objects from canvas to the Object Library, first select the object(s), and then click on the Object library with the right mouse button, and select Add to Library. Similarly, you can replace an existing object in the library with the one on canvas

or

Drag Object or selection from your canvas to the Object Library - the new item will be added at the end.

Color Changes (Override Changes)

If the Object from Palette is created using multiple objects then it will be grouped. A typical example is the numbered bullet. It has circle, a black open circle as a outline and a text object.



Normally if you apply a style to a normally grouped object (for example color) all objects will change the style. In case of our numbered bullet all objects inside will change the color to the same. In our example background circle, the text and outline will become all red - which is not exactly what we want. Therefore we have a special property called Override Changes.


The numbered bullet is already stored in the Object library using this special setting. That means when we place the bullet on canvas and then change color on it only the background circle will change.

There is also a complimentary effect:

If we hold CTRL and then change any colors of the bullet only the outline and text will change the color.

Few of the objects in arrows and Objects library are treated this way.

The trick is that before we added the multiple object to the library we change the Override Changes property of each of the separate object. (*menu Composition Editor - Grouping - Override Changes*) In case of the bullet we disabled Color, bevel and Shadow changes on the Outline circle and the text object (the number)



Then we put these three objects together and stored it in Objects library. The override changes works *only* when the objects are grouped together.

2.10.25 Magnifier Object

One of the special objects stored in the Objects library is a magnifier.



Everything below the magnifier is enlarged.

Note: The magnifier works within the canvas size (this is one of the very few cases you would care about the canvas size). The virtual canvas size is marked by the gray dashed line. You can simply click **Finish Editing** button then immediately press the **Edit Mode** button and the canvas will be enlarged around all the objects. You can also simply press **CTRL+Q** or use *Trim Canvas* from the *Composition Editor* menu.

Trick: You can create magnifier effect on any shape. Drag the magnifier object from Object library and ungroup it (**CTRL+U**). Take the objects apart and locate the one object that is the magnifier glass. Now copy it to the clipboard. Draw a new custom shape and then use **Paste Attributes** (**CTRL+Shift+V**) on it.

2.10.26 Other tools

Arrange objects

Each object you put on the canvas is on its own layer and you can see it because top objects cover the bottom ones.

You can move the objects between layers, bringing the object back or forward, moving the object to the bottom or to the very top.



The first two arrows select the previous or next object. Great if you can't select an object from behind another one.

The other 4 buttons that move the object in layers are

- On the top of all
- On the bottom
- Move one layer up
- Move one layer down


Align and Flip Objects

You can align multiple objects or flip an object along vertical or horizontal axis.



Perspective Transformation of images


This command works like a tool where you can drag each corner of the image to stretch it in perspective space. The tool is accessible when you right click on an image.



Combine XOR two objects

Using a combination of primitive objects is the easiest way how to create any complex shapes, for example a rectangle with a circular holes in it.

Select two or more objects and use menu *Composition Editor - Combine Objects - Boolean XOR*.



Color Correction



Any object color can be adjusted in a non-destructive way, with the Color Correction. Similar to the Interactive Sharpen, this is non-destructive, and you can adjust it or remove it any time you want.

You can switch Color Correction into 2 types: RGB and HSL.

When you are working with **RGB**, you are adjusting gamma of the particular primary color. This is good to tone up photos.


In **HSL** mode you are working similar way as with the Hue, Saturation and Lightness option in Bitmap menu. You can change colors of the Object, change saturation, desaturate, make it lighter, darker or colorize it in one tone. This is very powerful tool because it takes from you the need to adjust textures and colors if you need to see different color variation of the object.

The colorize option is active only in HSL mode. This will make the image in one color tone determined by the Hue Slider.

Note: Color Correction is **Non-Destructive** tool. That means you can not only apply it but also remove it or change it any time later, even on a bitmap images.

2.10.27 Clipboard Functions

There are many clipboard formats that you can use from within UltraSNAP to communicate with outside world without saving anything.



First: the simple **Copy** in Edit mode will copy objects in the UltraSnap format (which means you will not be able to paste them somewhere else only within UltraSnap).

For a simple bitmap copy you can switch to Basic Quick Mode using "Finish Editing" button which will then send automatically everything to clipboard as an image.

Alternatively using Copy from the Quick mode will copy everything to clipboard as image.

But from within editor you can also copy in various other formats.

Copy as Bitmap will copy the selected objects as bitmap and you can then paste them in other applications.

But we can also copy the selected objects with a transparency and then paste it in supported applications that understand transparency.

This saves a lot of time Exporting it to transparent PNG and then importing it back in other application!

You need to copy it in appropriate format as there is not yet commonly agreed system:

Edit->Copy w/ Transparency-> **Copy Selection As 32-bit PNG** (or 32-bit DIB)

Some applications will be able to paste 32-bit PNG, some will work with 32-bit DIB (also known as DIB5). Some application may understand DIB5 but will paste it as 24-bit and you can't do anything about it.

For example:

32-bit PNG copy/paste: Adobe Fireworks, Microsoft office, Affinity Photo

32-bit DIB (DIB5) copy/paste: XARA Designer PRO

Some applications will be not able to paste with transparency regardless what you choose: for example Adobe Photoshop will recognize 32-bit DIB but paste it as normal 24-bit DIB. In that case you need to export as transparent PNG to file and then import it back in the application (ex: Photoshop)

Explorer Handle

This is a method that works with file managers. Selecting objects and then using Copy as Explorer Handle will allows us to paste it in Windows explorer which will then create a PNG file there. (So you

may think of it as a quick PNG export).

But that is not all, pasting it this way also works on NAS (network disks) , inside many FTP applications and other apps and devices that understand Explorer file handles. It often simplify the amount of operations you need to do.


The Copy as Vector was explained in [Illustrator](#) section.

2.11 PDF Pages

The version 4 brought tools for multi-page PDF export, which was added as most of the tools for internal purpose at mediachance office. This is a simple, but effective tool to create a PDF file from some of the screen captures, such as documents, web pages etc...or even from scratch.



Menu - PDF



Anytime you have captured something in Capture mode or you are in the Editor mode, you can press Add to PDF button (Add current View as page in PDF) and that view will be added as a page in PDF.

The page doesn't have to be a screen capture. just switch to editor and draw some text, shapes etc and Add to PDF. Great for creating title pages.

When you have all pages collected, press Save PDF to File.

Start new PDF File

Starts a new PDF file - all previous pages will be deleted.

Add current View as Page in PDF - Add to PDF button




Adds the current view in Capture or Editor mode to the PDF as a new page. To speedup work-flow, there is no confirmation feedback, just a little sound beep. The status bar will then show how many pages are now in the PDF.

PDF: 8 pages

195, -15

Manage pages

Let's you see, delete and re-arrange the pages added to the PDF.




If you have multiple documents (tabs) open in the UltraSnap - they will all share the same PDF, so you can add pages from different tabs.

Save PDF to file


Saves the pages to a PDF file. You will need to set the PDF dimensions. The image will be placed so it fits the page dimensions. You can (and should) specify a small margin so the image doesn't go to the edges of the document.

Page Orientation - the PDF can have some pages in Portrait and some in Landscape mode. You can either force it one way or have it Auto - which will create Landscape mode for images that have width > height and Portrait for everything else.




Tip:

If a good page layout is important, create a large rectangle in the correct page aspect ratio, for example for Letter size, it could be 600 width and 780 height. Then place the objects on top of the rectangle as you would in a desktop publishing editor.



In this image the rectangle borders are highlighted red so it is more obvious. In PDF file this would fit the page optimally:



The PDF export is a image pdf file, the text will be also exported as an image - not as a searchable text.

2.12 Tips and Tricks

The UltraSnap allows for many neat tricks while working with screen captures. Particularly when you open few documents.

- If you want to permanently crop a screen capture in Editing mode you can copy it to a new document and crop it there, then paste it back. In edit mode, select object press CTRL+C (copy) and then click New document, then press CTRL+V (paste), Click Finish Editing and then Quick Crop. After you are done paste the new object back in the first Editing document. You can do that with multiple objects.
- You can also use the Interactive Crop in editing mode to mark part of the image, switch to Capture mode (Finish Editing) and then again switch to Editing mode. Now press CTRL+V (paste) and the marked image will appear as new object.
- You can start working in Editing mode right from empty document. You don't have to capture anything, just press Edit mode.
- You can copy and paste object or multiple objects between two documents, both in editing mode
- You can use Copy as Bitmap on multiple objects in Edit mode. The selection will be stored in clipboard as one single combined image and you can then paste it in a web editor or word document. You can even paste it back in the editor as a new image.
- You can create magnifier effect on any shape. Drag the magnifier object from Object library and ungroup it. Take the objects apart and locate the object that is the magnifier glass. Now copy it to the clipboard. Draw a new custom shape and then use Paste Attributes (CTRL+Shift+V) on it.
- If you want to "erase" part of the screen capture, just draw a rectangle over it and set it as white so it looks like the background
- You can save the whole editable project for future and then any time open it back - menu *File-Open/Save document*
- To apply multiple fading effects (for example on long toolbar where both ends fade out) you can use the copy as bitmap trick and linear transparency. Set first linear transparency, then Copy as Bitmap the object, Delete the object and Paste. Now apply next linear transparency to the pasted object.
- Use the Drag and Drop from Capture mode to Explorer or to any other software that accepts files. For example you can directly drag image from UltraSnap to e-mail client and it will be added as attachment.

Index

- A -

Add current View as Page in PDF 59
Add Style 46
Align and Flip Objects 56
Arrange objects 56
Arrows 18
Arrows and Objects 53
Auto Save to disk 2
Auto Send Clipboard 2

- B -

Break Apart 22
Break Path 22

- C -

Canvas Size and Color 16
Capture Cursor 2
Capture mode 8
Circle 18
Clipboard Functions 58
Color Correction 56
Combine XOR two objects 56
Convert - To Bitmap 26
Convert - To Polynome 26
Crisp 8
Crispness 37
Crop Tool 39

- D -

Documents 7
Drawing Tools 13

- E -

Edit Guidelines 14
Edit Mode 12
Export 5

- F -

Filter 8
From Top Object 24
Full Screen 4

- G -

Groups 14

- H -

History 11

- I -

Interactive transparency 46

- L -

Lock Guidelines 14

- M -

Magnifier Object 55
Minimize 2
Move Objects 14
Multiple Monitors 7

- O -

Object Crop 42

- P -

Paint layer 40
Palettes 53
Perspective Transformation of images 56
Pick Transparent Color 24
Place Inside 40
Presets 8

- Q -

Quick Crop 8

- R -

Rectangles 18

Region Capture 4

Repeat Last 4

Resize 8

Restore After Capture 2

- S -

Save PDF to file 59

Select an Object 14

Shape tools 18

Shapes 22

Sharpen 8

Squeeze 43

Standard Tools 18

Start new PDF File 59

Stretching ratio 43

Style Palettes 46

- T -

Text 21

Trace Shape 26

Transparency 5, 24

- W -

Window Capture 4