

# The Cranky Man's Concise Guide to EP Audio Editor

*(Or: How to Stop Sucking at Multi-Sampling)*



"DAWless. Just you and the machine, pure creativity." Hahahaha!

If you're here, it's because you've realized that "DAWless" actually means "squinting at a seven-segment display while your 'vast' 64MB of free RAM screams for mercy."

You've got a pile of gear that looks like a props department from a 1980s sci-fi film, and a folder of WAV files that your hardware refuses to acknowledge. Welcome to my world.

## Why Does This Exist?

Look, we all bought the EP because it looks like a calculator from the 70s and makes us feel like we're in a Kraftwerk video. (Okay, I just described myself) But then you try to slice a drum break on that tiny screen, and suddenly the "magic" is gone.

The cold, hard truth:

1. **You have 64MB.** In a world of terabyte SSDs, that's like trying to fit a grand piano into your pants pocket. (Again, describing myself). Not the flex you think it is.
2. **The upload limit is 20 seconds per sample.** Don't argue with me, argue with the Teenage people in Sweden.
3. **The hardware cannot create Multi-samples at this moment.** It just can't. There is no function for it. It's like:  
"Yeah, EP-40 can play multi-sample instruments."  
"So, how do you make one?"  
"Du kan inte."

**EP Audio Editor** is the bridge. It's the grumpy old man standing between your messy computer and your fancy hardware, ensuring the audio is chopped, resampled, and shoved into the right slots before you have a mid-life crisis. Just like the cranky author had many years ago.

### **About the Author**

Yes, the author, the lovable, handsome Cranky Man, has *technically* shared the stage with legends like Nick Cave, Moby, Atoms for Peace, and Lou Reed. But let's be very clear: he wasn't ripping solos. And he certainly wasn't singing in his lovely, lovely voice, which some describe as two parts gorilla (either snoring or wounded, the federal judge is still undecided) and one part talcum powder, delivering everything at least 6 semitones off-key. It is a signature technique he insists on calling *coloratura*.

No, he was the handsome guy in the shadows wearing a headset, barking into a void, and desperately trying not to lose his mind from all that racket. It was a humbling proximity to partial greatness, as he likes to put it. It meant watching Nick Cave terrorize security by trying to jump into the pit, or dodging the crossfire of Patti Smith's spit. His reward? A headache that always lasted days. And now this book is your reward, hahahaha.

These days, the Cranky Man channels his energy into a new, quieter obsession: Software and Hats.

---

# 1. Getting Started: The Interface

## The "Layer Cake"

The screen is divided into three sections. Try to keep up.

1. **Top Bar (The Region Bar):** The colored blocks at the top. These are your regions. Well, you might not see them if you don't have any yet..

- *Drag the vertical lines* to change where the region starts and ends.
  - *Right-Click* here to split regions or delete them.
2. **Middle (The Waveform):** The squiggly lines. If you see a flat line, you recorded silence. Good job.
- *Scroll Wheel:* Zooms. (Unless you changed it in settings, you rebel).
  - *Alt + Scroll:* Scrolls sideways.
3. **Bottom (The Piano Roll):** The piano keys.
- This maps the sample to the MIDI notes.
  - *Drag the edges* of the colored zones to change which keys trigger the sample.
  - *Double-Click* the piano area to expand it if your eyesight is failing.
  - **Where** you click on the key region determines if it overlaps or pushes.

# Tool Modes (How to Click on Things)

The toolbar changes what your mouse does. If you click and nothing happens and it looks like a TV remote, you're holding the wrong tool.

- **Normal Tool (Arrow):**
    - *Click*: Moves the playhead.
    - *Ctrl + Drag*: Creates a Loop/Selection. It's red. That's how you know.
    - *Drag Edges*: Context-sensitive. Dragging in the Region header resizes the region. Dragging a selection edge resizes the selection.
  - **Paint Levels (The Paintbrush):**
    - Literally draw volume curves on your waveform. Want a fade-out? Draw a line down. Want a side-chain effect? Draw a scoop. It's crude, destructive, and effective.
  - **Selection Tool (I-Beam)**: Like the normal tool, but you don't have to hold Ctrl to select. For lazy people.
  - **Rearrange Tool (The Green Monster):**
    - Moves the *audio* inside the selection without moving the selection itself.
    - When you drag a selection, pay attention to your keyboard modifiers:
    - **No Keys (Default)**: Moves the audio. It leaves silence behind like a hole in your soul.
    - **Ctrl + Drag (Copy)**: Copies the audio to the new location.
    - **Alt + Drag (Swap/Ripple)**:
      - If you drag a region to the right, the audio you drag over isn't deleted; it gets picked up and moved to the left to fill the empty space you left behind. It effectively **swaps** the selection with the adjacent audio.
    - **Shift + Drag (Mix)**: The "Ghost" mode. It mixes the dragged audio with the destination audio using a tanh soft limiter so you don't clip..
  - **Time Stretch Tool:**
    - Drag the **Right Handle** of a selection to stretch it. It has a circle. That's where you click and drag.
    - *Hold Alt*: Stretch **In-Place**. It keeps the length of the file the same but warps the selection only.
  - **Retime Tool:**
    - *What it does*: Unlike Time Stretch (which changes the length), this keeps the **total length of the region exactly the same**. If you drag the circle handle, it compresses the left side and expands the right side (or vice versa).
    - *Why?* You recorded a guitar riff. The first note was too fast, the second was too slow, but the total time was correct. This fixes your bad playing without ruining the loop length. Especially useful if this is a loopable loop.
-

# Editing & "Audio Hygiene"

## Fixing Your Bad Recordings

Your recording has hiss, hum, and breathing noises. The EP hates that. Some people love that.

**Note:** Most of these tools work on the **Selection** (the red box you create when you hold Ctrl + Drag) or on the whole audio if no selection is made. You will find most of these tools in the menu Audio.

### Fixing Quality

- **Adaptive Noise Gate:** Automatically silences the parts where you aren't playing. It listens to the "Noise Floor" and clamps down. Use it on drum breaks.
- **Adaptive Compressor:** Makes the quiet parts loud and the loud parts quiet.
- **Spectral Isolation and Cleanup:** Black magic math. It looks for things in the spectrum that shouldn't be there. The result is often a "better recording" as noise and natural reverb can be suppressed.
- **Remove All Silences (menu Region):** Scans the file and physically deletes the gaps.

## Creative Transitions (Fading into the Abyss)

Standard fades are boring. Use these instead.

- **Fade Out to Reverb / Delay:**
  - *Menu:* Audio -> Fade Out to Reverb / Fade Out to Delay
  - *What it does:* Instead of fading to silence, it fades the audio out while simultaneously feeding it into a reverb or delay tank. The result is a natural "ringing out" tail.
  - *Why?* Use this on the end of a chopped loop so it doesn't sound like it was cut with a guillotine.

## The "I'm Feeling Lazy" Automation

Tools designed for people who don't want to set parameters manually.

- **Create Single Region Instrument (+Pitch):**
  - *Menu:* Region -> Create Single Region Instrument...
  - *What it does:* It selects the whole file, creates a region, **detects the pitch automatically**, sets the Root Note, and finds a loop point. It does 4 minutes of work in 4 seconds or so..
- **Estimate Pitch:**

- *Menu:* Selection -> Estimate Pitch
- *What it does:* Tells you what note is playing in your selection.
- *Why?* Because you can't tell the difference between C# and D, and you're too embarrassed to ask.
- **Tune / Repitch:**
  - *Menu:* Audio -> Tune/Repitch... / Audio -> Auto-Tune to Root
  - *What it does:* **Auto-Tune** forces the sample to the nearest perfect semitone. **Tune/Repitch** lets you manually fine-tune by cents.
  - *Why?* Your analog synth drifts. Or your turntable was fast. Fix it before you load it.
- **Align Loop Start Phase:**
  - *Menu:* Audio -> Align Loop Start Phase
  - *What it does:* It finds a zero-crossing, and matches the *slope* of the waveform at the start point to the slope at the end point. Normally, if you have set Snap to Zero-Crossing in "Selection" your selection probably is already at zero crossing and phase aligned.
  - *Why?* Minimises clicking

## Fringe Editing Tools (For the Obsessive-Compulsive)

- **Paste in Place:**
  - *Menu:* Edit -> Paste in Place
  - *What it does:* Standard Paste inserts audio and pushes everything else to the right (like a ripple). **Paste in Place** overwrites the audio exactly where the cursor is, without moving the rest of the file. It's destructive. Be careful.
- **Delete Everything Outside Loop:**
  - *Menu:* Selection -> Delete everything outside
  - *What it does:* The "Crop" button. It deletes the intro and the outro and leaves you with just the loop.
  - *Why?* Because you downloaded a 3-minute song just to sample 2 seconds of a breakbeat.
- **Append Wav:**
  - *Menu:* File -> Append Wav...
  - *What it does:* Glues another WAV file onto the end of your current one.
  - *Why?* You want to build a "Drum Chain" (Kick, Snare, Hat all in one file) manually.
- **Insert Silence:**
  - *Menu:* Region -> Add Silence at Cursor...
  - *What it does:* Shoves a chunk of digital zero (pure silence) right where your cursor is, pushing everything else to the right.
  - *Why?* You realized your "dramatic pause" wasn't dramatic enough.
- **Export Selection:**

- *Menu:* Export -> Export Selection...
  - *What it does:* Saves *only* the audio inside your Red Loop Selection to a new WAV file.
  - *Why?* You loaded a 3-minute song. You only want the snare drum.
  - **Export WAV Without Cropping:**
    - *Menu:* Export -> Export WAV without Cropping...
    - *What it does:* Saves the file *without* applying the EP-133 20-second limit truncation.
    - *Why?* You want to save your work, but you refuse to accept the reality of hardware limitations. EP will reject it, but you can use it in some other samplers.
- 

## Settings & View Options

- **Trim to EP limits (~20s):**
  - *Menu:* Settings -> Trim to EP limits
  - *What it does:* If you try to save a file longer than ~20 seconds, it chops the end off.
  - *Why?* To save you from the error message when you try to upload it to EP.
- **Show Loupe:**
  - *Menu:* Settings -> Show loupe when dragging
  - *What it does:* Shows a magnified portion of the waveform under your mouse cursor when you drag loop points.
  - *Why?* Because you refuse to zoom in, and your monitor is too far away.
- **Play Animation on Empty Screen:**
  - *Menu:* Settings -> Play animation...
  - *What it does:* Bounces stupid balls around when no file is loaded.
  - *Why?* I got bored coding DSP algorithms and wanted to do some physics math. Leave it on, it looks cool and I literally spent like 3 nights on it. And I mean full nights, like till 6 a.m. It was worth it.
- **Spectrum View:**
  - *Menu:* View -> Spectrum
  - *What it does:* Replaces the black background behind the waveform in the view with a colorful FFT spectrogram. This shows spectrogram of the visible waveform in the view.
  - *Why?* Because staring at a waveform wasn't confusing enough for you. Now you can see "frequencies." Note: the Frequencies are aligned with the Piano Keyboard - this is useful for seeing where the sound actually is pitch-wise. If you see a peak around A2 and then smaller peaks around A3 and A4, the tone in the view is A2 and the other peaks are harmonics
- **Follow Playhead:**

- *Menu*: Playback -> Follow Playhead
  - *What it does*: The screen automatically scrolls to keep the playback cursor in view.
- 

## Looping within the Region (The Cycle of Madness)

A region can have a specific looping point. However, simply creating the **Red Selection** (Ctrl + Drag) is not enough. That's just a preview area for you to audition the loop or to apply effects.

**Important:** To commit the current selection as the actual loop for the sample, you must click the **"Apply to Region Loop"** button in the Right Panel (under the "Region" tab).

Making a perfect loop is hard. The software tries to save you.

- **Snap to Zero Crossing:** (Toggle in Selection Menu). Forces your cursor to land where the waveform crosses the center line. **Leave this on** unless you enjoy hearing a "CLICK" every time.
  - **Find Optimal Loop in the menu Selection:** The computer analyzes the audio under the selection and finds the most seamless loop point for you. There are numerous methods how the system tries to find an optimal loop within the selection. Neither of them is the magic pixie dust that works on every sound, but it can narrow the searching place.
  - **Crossfade Loop in the menu Selection:** Blends the end of the loop point into the start. This is usually what sells smooth looping.
    - *Equal Power*: Keeps the volume consistent.
    - *Hanning*: Smoother, good for ambient pads.
- 

## Chopping & Mapping

### 1. Auto-Chop (Menu Region)

- **One-Shot Chop:** Detects transients (drum hits). Good for breaking beats.
- **Melodic (Simple):** Detects **Pitch**. It tries to find where the note changes. Use this for basslines or vocal melodies.
- **Auto Chop (Melodic by Frequency)** It listens for **Pitch Changes** to detect when the note changes frequency.

*Warning:* The EP hardware supports a maximum of **8 Regions**. If the Auto-Chop finds 42 slices, you're going to have a bad time. Delete the ones you don't need.

### 2. Distribute Notes

You created a few regions. Great. Now, where do they go?

- **Distribute Notes (Percussive / One-Shot):**

This forces your messy chops onto a strict musical grid (Chromatic, Major, Minor, etc.).

- *Why use this?* If you select "C Major," it maps your drums *only* to the white keys.
- *The "Anti-Silence" Feature:* It automatically fills the "dead keys" between your notes. If your kick is on C3 and your snare is on E3, hitting D3 won't give you silence: it will trigger the snare pitched down (or the kick pitched up). It's sloppy, but it keeps the beat going.

- **Distribute Notes (Melodic):**

You were too lazy to sample every key (well, you really can't with just 8 regions), so you sampled a C3 and a G3. This tool stretches them to cover the notes you missed (D, E, F).

- *Root Calculation:* The software can auto-detect the pitch of your regions if you didn't set the Root Notes manually.
- *Distribution Bias (The Important Part):* You choose which sample does the heavy lifting:
  - **Center:** Splits the difference. Fair, but boring.
  - **Sample Upwards (Low Bias):** The lower sample stretches *up* to cover the gap. Result: **The Chipmunk Effect.**
  - **Sample Downwards (High Bias):** The higher sample stretches *down* to cover the gap. Result: **The Darth Vader Effect.** (Usually sounds better for bass).

### 3. Manual Mapping & The "Secret" Overlap

**Menu Path:** *View -> Edit Key Boundaries* (or just Double-Click the Piano Roll)

Sometimes the automated tools aren't enough. You want to manually drag the split points between your samples. You want Region 1 on C4 and Region 2 on C#4.

**The Piano Roll** at the bottom is interactive, but it has a split personality:

1. **The Shove (Standard Drag):**

- Click and drag the **BOTTOM HALF** of the vertical boundary line between two regions.
- *Result:* As you drag right, you push the next region forward. They stay adjacent. No gaps, no overlaps. Orderly.

2. **The Overlap (The Diagonal Layer):**

- Click and drag the **TOP HALF** of the boundary line.
- *Result:* The line turns **Diagonal.**
- *What it means:* You have now stacked two regions on the same key. Region A ends on C4, and Region B *also* starts on C4.

- *Why do this? Well, EP is picky about this, which I assume is due to a firmware bug. You actually want to have overlapping regions; otherwise, EP might decide to slightly rewrite the regions on its own.*
- **The "Accordion" Move:** Hold **Ctrl** while dragging a boundary. It stretches/shrinks *all* subsequent regions relative to your movement. Good for fixing a mapping that is off by a mile.

## Resampling & Memory Management

*Fitting 10 seconds of audio into 5 seconds of memory.*

You have **128 MB** and it is already 98% full. That is pathetic. You need to save space. Here are the tools to do it.

### 1. The Repitch Tricks

- **Double Time (+12 semitones):** The "Nuclear Option." Plays audio at 2x speed. Saves **50% of your memory**.
- **SP-1200 Repitch (+5 semitones):** Resamples audio up by ~1.33x speed. The software sets the instrument's **Global Pitch** to -5. The hardware plays it slower, restoring the original pitch. This simulates the old DJ trick of sampling an LP at 45 RPM to save sampling time.

Incidentally, this will allow you to break the 20 sec maximum rule per sample to 40 seconds per sample.

### 2. Sample Rate Surgery (The Diet Plan)

If you don't want to change the pitch/speed, you can just lower the quality.

- **Resample to 46.875kHz (Medieval/Native):**
  - *What it is:* The exact, native sample rate of the EP Medieval hardware.
  - *Why use it?* If you upload a 48kHz file, the EP software will need to convert it. If you use this, the EP Medieval plays it exactly as is. Maximum transparency.
- **Downsample to 44.1kHz:**
  - *Why?* Because you recorded at 96kHz like you're Hans Zimmer, but you're putting it on a toy calculator. Stop it. Just stop it. You are not Hans.
- **Downsample to 22kHz:**
  - *What it is:* Cuts the file size in **Half**.
  - *The Cost:* You lose all frequencies above 11kHz.
  - *Use for:* Kick drums, basses, electric pianos. Anything that doesn't need "sparkle."

- **Downsample to 16kHz (Voice Mode):**
  - *What it is:* The "Telephone" setting.
  - *Use for:* Vocal chops, speech quotes, and lo-fi textures. Do **not** use this on cymbals unless you want them to sound like sand.

### 3. The "Desperate Measures" (Combo Moves)

For when you have 0.5MB left and a dream.

- **Downsample to 22kHz + Double Time:** Combines the 2x speedup with half-sample rate. Result: **25% of original size**. Amazing? Well...
- **Downsample to 16kHz + Double Time:** The smallest possible file size. It will sound crunchy. Wear it like a badge of honor

## The "Weird" Stuff (DSP Effects)

*For when you run out of musical ideas.*

- **The Infinite Sustain Synth:** performs a medical procedure on your audio. It finds the "DNA" of the sound (a single waveform cycle), clones it, and repeats it infinitely. It turns any organic sample into a static oscillator.
- **Granular Cloud:** Takes a loop and turns it into a swarm of bees.
- **Frequency Cloud (PaulStretch):** Makes a 1-second burp last 20 minutes. Sounds like heavenly choirs or nightmares, depending on the source. It's actually interesting to set the stretch to 1x, set the Loop Length to 100% and change Window to get a different sound from the selection. A clap can sound like an ocean and a drum like a bag of rocks.
- **Morpher (Spectral Loop Stabilizer):** So, you used the Infinite Sustain Loop tool, and you complained that it "sounds too much like a Nintendo." Fine. You want the stability of a synthesizer but the texture of your real sample. The Morpher does the exact same thing as the The Infinite Sustain Synth tool: it finds a perfect waveform cycle ("The Robot"), but instead of just mixing it, it performs a Spectral Transplant. It forces the texture and timbre of your original sample (The "Human") onto the perfect, unmoving pitch of the Robot.
- **Micro Synth:** Generates a simple synthesized beep inside your selection. For when you need a test tone or a sub-bass sine wave and can't be bothered to plug in a synth. Ok, fine, I went a bit off the script here.

### How to Use The Infinite Sustain Synth

You sampled a bass guitar, but it fades out after 2 seconds. You want it to hold forever like a synthesizer. You tried looping it, but it wobbles like a drunk sailor.

1. **Select a Region:** Loop a steady part of the note (the sustain).

2. **Open the Tool:** It calculates a "Robot" buffer (the perfect mathematical loop) and a "Human" buffer (your original wobbly recording).
3. **Adjust the knobs:**
  - **Offset:** Tells the robot *where* in the sample to look for the master cycle. If the result sounds like a buzzsaw, move this until it sounds like a tone.
  - **Mix:** The magic slider.
    - **100% (Pure Robot):** The audio is replaced by the perfect cycle. It sounds completely static, like a video game console.
    - **0% (Human):** Just your original loop with a crossfade.
    - **50%:** The "Freeze" effect. It keeps the texture of the real instrument but forces it to hold a steady pitch forever.
  - **Step:** How many cycles to grab. If the pitch detection is detecting an octave too high, increase this.
  - **X-Fade:** Smooths out the "Human" layer so it loops cleanly underneath the "Robot" layer.

**Why use this?** To turn a short pluck (like a guitar or pizzicato string) into a long oscillator..

### How to Use Morpher

1. **Select a Region:** Loop the sustain part of your sample.
2. **Open the Tool:**
  - **Offset:** Finds the fundamental cycle. Adjust this until the pitch matches your sample.
  - **Morph (The Magic Knob):**
    - **0%:** Pure Robot. Just the raw, buzzy waveform cycle.
    - **100% (Spectral Lock):** This is the money shot. It applies the frequency spectrum (the "sound") of your original sample onto the phase of the perfect loop. The result is a sound that has the rich character of a cello (or whatever) but is mathematically frozen in time. No wobbles.
  - **Morph Timbre (Shift):** Shifts the formants up or down. Makes a cello sound like a violin or a double bass *without changing the pitch*.
  - **Morph Comb (Hollow):** Adds a metallic, hollow texture.
  - **Morph Gate (Dull):** A spectral noise gate. Removes the "fizz" from the morphing process.

**Why use this?** When the "The Infinite Sustain Synth" sounds too fake, but the original sample loops too poorly. This is the middle ground: Organic texture, Synthetic stability.

# The Cranky-Loc: A Warning Label masquerading as an Audio Effect

**Congratulations.** You now have a function designed to emulate a cheap public address limiter from the 1960s that (thanks to the Internet) now costs a few thousands on ebay. The original unit was designed to stop high school principals from blowing out gymnasium speakers while yelling at **wayward** teenagers. It was terrible at its job then, and it is terrible at it now, just much, much more expensive.

Naturally, you people decided this sounds "amazing".

Cranky Man has faithfully recreated every flaw and circuit limitation of the original unit. He even added new ways to break the signal, because apparently, standard digital clipping wasn't enough for you.

**While you can surely apply this effect to a pre-mixed loop, I assume you are doing so because you don't necessarily know what you are doing (or you particularly like extra crunchy sound).**

It is really best used on **separate stems** (drums, voice, bass, synth, your wife's screams).

**Lowering Input Drive and Distance can transform this effect from a weapon of mass destruction into a somewhat functional gear: A 1960s shitty compressor.**

Going gentle adds a bit of "hair" and thickness without obliterating the transient.

## THE MAIN KNOBS

### DRIVE (Input Level)

This is a "how much do you hate your transient" knob.

- **0:** It does nothing.
- **1-5:** It sounds like a normal compressor having a bad-hair day.
- **6-10:** This adds up to 20x of gain into a hard clipper. It can turn your snare drum into a square wave. This is what you got it for. Don't come crying to me about "headroom."

### DISTANCE

This control is labeled weirdly because the 1960s were a confusing time. The original Level-Loc was built for podium microphones. The knob (actually a switch on the original unit) was meant to tell the machine how far away the school principal was standing from the mic.

- **Near (0):** The microphone is close to the source. The threshold is high. It barely compresses. Booo! We don't want that.
- **Far (10):** The microphone is far away, so the unit boosts the gain to the moon to hear it. This creates a brick-wall limiter with a threshold of -30dB (I just made the number up). It

brings up the room tone, the AC hum, the drummer's breathing, and most importantly the sound of your musical career ending before it even started.

## RELEASE

- **Fast:** The compressor lets go immediately-ish. This distorts low frequencies. If your kick drum sounds like a fart, this is why.
- **Medium:** A sensible setting. You probably won't use it, right?
- **Slow:** The "Bonham" setting. It sucks the air out of the room after a snare hit and slowly breathes it back in.

## OUTPUT

It lowers the output down. You might need this because you cranked the Drive to 10.

## MIX

The "I'm sorry I went too far" knob. Turn it to 50% to blend your ruined signal with your clean signal (Parallel Compression), so you can pretend you still care about dynamics.

## SIDCHAIN HPF

It tells the detector to ignore the low frequencies. It stops the kick drum from swallowing the entire mix. Basically, a dial for how afraid you are of intermodulation distortion. Crank it up to 150Hz if you want to play it safe. Disable it if you have a spine.

## GAIN RELEASE

Because computers are stupid, they don't actually create smooth curves; they create millions of tiny little steps. When this compressor clamps down hard (which is the only thing it knows how to do), those steps can become audible. It sounds like a zipper being pulled up quickly. We call this "zipper noise."

This knob smooths out those steps.

- **Fast (0.5ms):** You want to hear some aliasing? Go ahead.
- **Slow (10ms):** It makes the compressor feel sluggish, like it just woke up from a nap.
- **The Sweet Spot (~2ms):** Just leave it here. I put it on the panel so you'd feel like a scientist (and there was an empty spot), but honestly, you should never touch it.

## JFET - MOSFET (Pick Your Poison)

This switch lets you choose *how* you want to destroy your audio signal. Do you want it to sound like a failing component from 1958, or a failing component from 1968?

- **JFET (The "Vintage" Setting)**  
Select this if you own a lot of flannel shirts and use words like "wooly" to describe sound.
  - **The Tech:** It mimics the behavior of the 2N5457 transistor in the original unit acting as a voltage-controlled resistor. When the signal spikes, the JFET gives up

on life and creates asymmetric distortion.

(JFETs function very similarly to **Triode Vacuum Tubes** with lame quadratic transfer characteristics).

- **The Sound:** It creates 2nd-order harmonics. In English: it sounds "warm," "creamy," and "dark." (Creamy? Audiophiles are hilarious)
  - **With 1960s Mode:** If you flip the other switch to **1960**, the algorithm swaps to the "Crappy JFET" model. It creates a sound gloomier than a Swedish winter. It saddens the transients so much you might forget you actually recorded a hi-hat.
  - **MOSFET (The slightly "Modern" Setting)**  
Select this if you love bricks. Any bricks are fine, as long as they form brick walls.
    - **The Tech:** This models a solid-state output stage slamming into its power supply rails.
    - **The Sound:** "Transparent" and "Clean." Hahahaha, no. When driven hard it creates hard, symmetrical clipping. It is "aggressive and edgy" as the hi-fi magazine says. They must love square waves.
    - **With 1960s Mode:** It makes the simulated MOSFET hit the rails a bit earlier. The result is a more "fizzy," spitting texture that audiophiles describe as "character" and normal people describe as "something wrong with my speakers".
- 

## THE SWITCHES (The "Feature-creep" Stuff)

### 1960s - Modern (SC Filter ON/OFF)

This switch decides which decade you want to sound like: the one where people didn't know what they were doing, or the current one where they pretend they do but it's even worse.

- **1960s:**  
This bypasses the detector filter entirely. It lets the kick drum implode the mix like a dying star, the way nature and garbage PA compressors intended.
  - *The Result:* Authentic 1960s pumping. The kick drum hits, and the rest of the band disappears into a black hole.
  - *The Circuit:* This mode also engages a "**crappy transistor**" simulator (see above). This is most noticeable when combined with the **JFET** setting, adding a layer of authentic grime that you can't wash off.
- **Modern:**  
This engages the internal filter and allows the **Sidechain HPF** knob to actually do something (slightly).
  - *The Result:* It tells the compressor to ignore the low end. This creates a "polite," more controlled, modern sound where the kick drum doesn't ruin your Christmas. Use this if you are the kind of person who uses coasters on an IKEA table. JFET simulation is also more transparent in the Modern settings, as if you

suddenly found an actually working JFET not some mystery Soviet-era **KP3xx** from ebay, 100% "mil-spec" forged from old belt buckles and medals.

### **PROG RELEASE (a program-dependent release algorithm)**

Back in the day, the release "time" was governed by a **Capacitor** (which stores energy) and a **Resistor** (which drains it). If you squash the signal longer, the capacitor gets more charged and then it also takes longer to discharge. So you get a variable release time. Turns a rhythmic pump into a gasping, heaving mess. It's beautiful.

### **Transformer (Iron)**

This simulates a cheap iron transformer getting confused by bass frequencies. It rolls off the treble and makes the low-end muddy. You call it "warmth."

### **POWER SAG**

We mathematically modeled a dying battery. Whee! When a loud drum hits, the virtual voltage drops, and the whole signal chokes and distorts. It sounds like the equipment is broken.

### **NOISE / HUM**

Turn this on to add a 60Hz hum and white noise hiss to your track. We spent decades inventing 32-bit floating-point audio to give you a noise floor of -144dB, and you are going to raise it to -50dB on purpose. Fine.

### **Oversample**

The "Drive" knob creates aliasing garbage. Turning this **ON** filters out the garbage so the distortion sounds "expensive." Leave it probably on. Or not.

---

## **PRESETS**

### **"Dave's fault"**

Technically, this is the Default Setting. It ruins your signal just enough to be noticeable, but not enough to get you fired by the label. It refers to the "Flaming Lips" drum sound, where the kick drum takes up 90% of the frequency spectrum and the cymbals sound like frying bacon. The name implies the most honest statement in audio engineering history: *"I'll Fix It Later."*

### **"Lonerism Drums"**

Tame Impala drums. It sounds like you recorded your drums in a sewer pipe with a dictaphone.

### **"Broken Radio"**

It sounds exactly like the name suggests. Useful for intros or ending your song before the listener gets bored.

## "Clean Glue"

A preset that tries to use this unit politely.

## The "Hipster" Section (Tunings)

- **Historic and World Tunings:**
  - *Menu:* Notes -> Historic and World Tunings...
  - *What it does:* The EP only speaks 12-Tone Equal Temperament (Western standard tuning). This tool **bakes microtonal tuning** into the samples themselves.
  - *Options:* Just Intonation, Pythagorean, Meantone, Gamelan, etc.
  - *Why?* Because you watched one YouTube video about Adam Neely and now you think you're too good for normie tuning. And since Rick Beato already blocked you for asking about 432Hz... (This will age so well)  
No seriously, I wanted to add only a few of them pesky microtonal tunings. And guess what? The few turned into a few hundred (**226** unique tuning presets at this moment). Once you start, you can't stop.

See more in the end section of this grandiose manual.

## The Loops and the Grid (For Those With No Rhythm)

EP-40 allows you to play loops. Like forever. You can of course trigger loops in the other EPs too, but they won't automatically loop. You need to trigger them manually.

You think you can eyeball a perfect 4-bar loop. You can't. You'll be off by 10 milliseconds, and after four repetitions, your listener will feel a vague sense of anxiety they can't explain. Let the computer do the math.

### 1. Detect the Tempo

Click Region - **Find BPM (From Length or Transients)**.

"From Length" will use the length of the loop to determine BPM - provided that the loop is a loopable loop (like a professional sample loop) and so the length will actually determine the BPM.

From Transients:

The software analyzes the "Transients" (the loud bangy parts) to calculate the BPM.

Find Beats

- *Note:* It needs at least a few seconds of audio to work. Don't try to detect the BPM of a single snare hit. It will just laugh at you.
- **Result:** It draws vertical lines on the waveform where it thinks the beats are. It also updates the **Global BPM**.

## 2. Snap to Grid (The "Magnet")

**Menu Path:** *View -> Timeline -> Beats*

By default, the timeline shows **Time** (Seconds).  
Switch it to **Beats** (Bars).

- **What happens:** The ruler at the bottom changes to 1.1, 1.2, 1.3....
- **The Magnet:** Now, when you drag a selection or a loop point, it **snaps to the nearest 16th note**.
  - *Why do I want this?* It makes cutting perfect loops instant. No more zooming in to the pixel level to find the exact start of the bar.
  - *Override:* If you want to go off-grid (because you are "jazz" or something), hold **Ctrl** to temporarily disable the snap, or switch the View back to **Time**.

## 3. Find Beats (Aubio Detection):

*Menu:* Region -> Find Beats...

- *What it does:* Scan the file and guess where the beats are. It draws vertical lines on the timeline and suggests a BPM.
- *Note:* It needs about 6 seconds of audio to not be completely useless.

# The Tyranny of Math: BPM & Timing

*(Or: Why your loops sound like shoes in a dryer after 4 bars)*

You think you have rhythm. You tap a button, you set the BPM to 90, and you think you are a "producer". You are not.

Here is the general problem: Sampler is a computer. It does not "feel" the groove. It counts samples. If you tell the machine "This loop is 90 BPM," but the file length is actually 89.8 BPM, the first loop will be fine. The second will be okay. By the fourth loop, your snare is hitting on the kick...

In devices like EP that tries to do stuff for you, selecting BPM that doesn't correspond to the reality means it will be either pitch shifted to fit (which makes it sound off-key) or time-stretched (which makes it sound weird).

**In devices like an EP that try to do things for you, selecting a BPM that doesn't correspond to the reality means it will be either pitch-shifted to fit (which makes it sound off-key) or time-stretched (which makes it sound weird).**

**The Golden Rule:** Merely typing "90 BPM" into a box does not change the audio. The length of the WAV file (in samples) must be **mathematically exact** for the BPM and the Number of Beats you want.

If your loop is 44,105 samples long, but a perfect 1-bar loop at 120 BPM requires 44,100 samples, you are drifting 5 samples every loop

Here are the tools to force your audio to obey the laws of physics.

## 1. Find BPM (From Length)

**Menu:** *Region -> Find BPM (From Length)*

**Use this when:** You are confident that you have cut the start and end points of your loop perfectly (and you want to keep it that way), but you don't know the BPM.

### **How it works:**

The software looks at the total length of your file. It assumes this length represents a "musical" amount of time (1 bar, 2 bars, 4 bars, etc.). It calculates what the BPM *would be* if that length were perfect.

- *The Catch:* If you cut the loop badly (e.g., you left a millisecond of silence at the end), the BPM will be wrong (e.g., 90.43 instead of 90.0).
- *The Fix:* If it returns "89.98 BPM," your loop is slightly too long. Crop it tighter.

## 2. Find BPM (From Transients)

**Menu:** *Region -> Estimate BPM (Transients)...*

**Use this when:** When your file is not yet a loop but you want to know the BPM (for example from drums).

### **How it works:**

It uses the a beat algorithm to listen for loud things (Transients).

*Note:* It ignores the file length and looks at the content.

- *Warning:* It requires at least ~6 seconds of audio to work. Don't feed it a single snare hit and expect a miracle.

## 3. Adjust Loop to BPM

**Menu:** *Region -> Adjust Loop to BPM...*

**Use this when:** You know the target BPM (e.g., 90), you know how many beats you want (e.g., 4), but your audio file is the wrong length. Instead of doing this manually, let the software do it for you perfectly.

This tool does **NOT** time-stretch (that makes things sound wobbly).

This tool **Physically Resizes** the file to match the grid exactly.

- **BPM:** Enter your target tempo (e.g., 92.0).
- **Mode Selection:**
  - **Beats:** "I want exactly 4 beats." Simple.
  - **Bars:** "I want 2 Bars of 4/4 time." For the music theory nerds.
- **The Calculation (The "Note" Field):**

Look at the text at the bottom:

  - *"Will add 0.050 seconds (2205 samples)":* Your loop was too short. It will append silence to the end to make it fit the grid.
  - *"Will cut 0.010 seconds (441 samples)":* Your loop was too long. It will chop off the end to make it fit.

## Why is this better than Time Stretching?

Time stretching alters the sound quality (artifacts). Truncating (cutting) or Padding (adding silence) keeps the audio sample-accurate.

- **If you are cutting:** Ensure your loop has a tiny bit of tail you don't mind losing.
- **If you are adding:** The software adds silence. If your loop has a long reverb tail, this might create a gap. But at least it will loop on beat.

### The Workflow:

1. Cut your loop as close as you can manually if this is some large file..
2. Open **Adjust Loop to BPM**.
3. Type in 90 BPM and 4 Beats.
4. If it says it will cut 50 samples, click OK. You won't hear 50 samples missing, but the machine will love you for it.

Note: If you are working with loops, you might select View - Timeline - Beats to switch to beats view

# Getting Audio IN

## Importing Kits (The "I Have Too Many Samples" Menu)

**Menu Path:** *File -> Import...*

You have gigabytes of drum kits from the 90s, Maschine groups you haven't used since 2015, and MPC programs you swore you'd listen to one day. You want them on your EP. Don't try to reconstruct them manually. I wrote code to parse that garbage so you don't have to.

## 1. Import from Folder (Batch Processor)

**Menu Path:** *File -> Import -> Import Wavs from Folder...*

You have a folder on your hard drive called "Techno\_Kicks\_Final\_Final\_V3". You want them all in one instrument.

1. Select the folder.
2. The software grabs every WAV file inside.
3. **The Magic Logic:**
  - **Instrument Mode:** If you were smart enough to name your files with notes (Bass\_C2.wav, Bass\_G2.wav), the software **detects the pitch** from the filename, sorts them, and maps them across the keyboard automatically.
4. It converts everything to Mono/16-bit because, again, that is what the EP wants.

## 2. Import Akai MPC Kit (.xpm)

**Menu Path:** *File -> Import -> Import Akai Kit...*

So you're moving from an MPC to an EP? Bold move. Hahahaha. This imports .xpm program files.

- **Keygroups:** If the MPC file was a keygroup instrument, it preserves the root notes and key ranges.
- **Drum Programs:** If it was a drum kit, it maps the pads sequentially.
- **Warning:** The EP only supports **8 regions** per sample. If your MPC kit has 4 layers of 64 notes velocity-switched nonsense, the software will import it, but it will yell at you to delete the extras before saving.

## 3. Import Maschine Group (.mxgrp / .mxsnd)

**Menu Path:** *File -> Import -> Import Maschine Group...*

Native Instruments loves to hide their files. This tool tries to find them.

- It parses the mess inside .mxgrp files.
- **File Finding:** Maschine files often have broken paths. The Editor attempts to find the audio by looking in \Samples subfolders or relative paths. If it can't find the WAVs, don't blame me, blame NI's file management.

- It automatically converts those massive stereo samples down to the EP's native format.

## 4. Import SmpITrek Kit (.stk)

**Menu Path:** *File -> Import -> Import SmpITrek Kit...*

I don't know why you have these, but I support them. Because I do have SmpITrek and I made a few good kits.

The .stk format is a black box. This tool performs a **Brute Force Extraction**, ripping the WAV data directly out of the file and mapping it into a kit. It's violent, but effective.

---

### CRITICAL WARNING FOR ALL IMPORTS:

The EP hardware has a hard limit of **8 Regions** (slices) per sample.

Most imported kits (especially MPC/Maschine) will have way more than 8 samples.

- **The Editor will load them all** so you can decide what to keep.
- **You must delete** the extra regions (Right-Click -> Delete Region) until you have 8 or fewer.
- If you try to save a kit with 16 regions, the software will unceremoniously truncate the extras. You have been warned.

## The Circular Loop Sampler (Continuous Flow Mode)

**Menu Path:** *Tools -> Circular Loop Sampler...*

If you've ever tried to record a perfect loop on a hardware sampler, you know the drill: Record. Miss the downbeat. Stop. Delete. Cry. Repeat.

The **Circular Loop Sampler** is for people who are tired of crying. It runs a **continuous timing grid** based on your Tempo and Loop Size. It doesn't stop just because you messed up.

### How to Use It (The "Don't Stop" Method)

1. **Set the Grid:** Set your BPM and the number of bars. Do this *before* you start playing, obviously.
2. **Press Record:** The sampler starts looping. Every time it hits the end of the bar, it automatically shoves your last performance into a **Take Slot** and immediately starts recording the next one.
3. **Browse the Stack:** Recorded 8 takes? Click through them. Statistically, one of them has to be less embarrassing than the others.
4. **Crossfade:** This is the secret sauce. It blends the "tail" of the previous loop rotation into the start of the current one.

- *Why?* Because a real instrument has decay. If you cut a cymbal crash at the end of a bar, it sounds unnatural. The software mixes that natural decay back into the start for a seamless, "no-click" transition.

*Click Load Selected Take and it will commit it to the main editor. Or don't. I'm not your boss.*

---

## The Loop Maker (Beat Renderer)

**Menu Path:** *Tools -> Loop Maker (MIDI/MPC to wav)*

If you already have beats sequenced in a DAW or an MPC, stop trying to re-sequence them on the EP's tiny screen with those chiclet keys. The **Loop Maker** takes your high-resolution MIDI or MPC Pattern files and "bakes" them into a single, perfectly looped WAV file using the drum kit you currently have loaded.

### How to Use It

1. **Load the Kit:** You must have a drum kit (with regions mapped) loaded in the main editor first. The Robot needs to know what your "C2" kick drum actually sounds like before it can render it.
2. **Select the Pattern:** Open a .mid or .mpcpattern file.
3. **Sync the BPM:** Set the BPM to match your source project. The software uses this to calculate *exactly* how many samples long the loop should be. No guessing.
4. **Map your Pads:**
  - **Start Note:** Usually **C2 (MIDI 36)**. If your MIDI file assumes the kick is on C1, change this setting to align the notes with your drum regions.
  - **Auto Map:** Click this to let the software guess. It tries to align the MIDI file's notes to your Kit's root notes. It usually works.
  - **Custom Mapping:** For when "Auto Map" fails or you want to get weird. You can manually override specific triggers using this syntax: `InputMIDI>TargetRoot`  
*Example:* `C2>A3, C#2>C4`  
*Translation:* "When the MIDI file asks for **C2** (Kick), play the Region rooted at **A3** (Snare)."
5. **Render:** Click **OK**.

The software will mix the samples. When you drop this file onto your EP, the hardware will see it as a "ready-to-go" loop with the correct BPM already baked in. No manual trimming required.

### Bonus Workflow: Chaos Theory

Load a multi-sampled instrument that has **nothing to do with drums** (like a chopped-up vocal or a piano with 8 different notes).

Then, load a **Drum MIDI loop** into the Loop Maker.

- **Result:** A rhythmic, gated, melodic loop that follows the drum pattern but uses your weird samples. It's instant IDM. You're welcome.

# The Polyrhythm Generator (Euclidean thing)

*(Or: How to Sound Like You Went to Music School)*

**Menu Path:** Tools -> Polyrhythm Generator...

So, you want to make a drum loop. You could place every single kick and snare manually on the grid like a peasant, or you can use **Math**. (Sounds more impressive than it really is, there is only a little math)

The **Polyrhythm Generator** uses Euclidean algorithms to distribute hits (Pulses) evenly across a timeframe (Steps). If Pulses sounds like "Star Trek, don't worry. It basically means "Instant Grooves" in real lingo. It generates a WAV loop using whatever instrument regions you currently have loaded. You know, how in the Loop Maker you needed to load MIDI file. Here you don't. It generates the groove.

## The Interface

### 1. The Track List (Left)

This shows your 8 Regions (Tracks).

- **Checkbox:** If checked, this sound will be included in the loop. If unchecked, it is silenced.
- **Selection:** Click a row to edit its parameters below. You will also hear the associated region sound.
- **Note:** The list updates automatically when you change the knobs. Don't try to type inside the list. I didn't program it that way. The only clickable thing is the checkbox.

### 2. The "Knobs" (Parameters)

This is where you tell the algorithm what to do with the selected Region.

- **Steps (The Grid):** How long is the pattern? Standard is 16. If you set this to 13, you are entering "Jazz Fusion" territory. Be careful.
- **Pulses (The Hits):** How many times do you want the drum to hit within those steps?
  - *Example:* 16 Steps with 4 Pulses = A standard 4/4 beat.
  - *Example:* 16 Steps with 6 Pulses (Tresillo 3:8) = That reggaeton rhythm you hear in literally every song on the radio.
- **Rotation (The Shift):** Moves the pattern forward or backward.
  - *Why?* If your Kick and Snare are both on Beat 1, it sounds stupid. Rotate the Snare so it hits on the backbeat.
- **Resolution (The Speed):**
  - **1.0:** Quarter notes (Slow).
  - **2.0:** Eighth notes.
  - **4.0:** 16th notes (Standard).
  - **8.0:** 32nd notes (Trap Hi-Hats / Machine Gun).

### 3. The Presets

I included a massive list of presets because I knew you wouldn't know what to do.

- **Kicks:** House, Hip Hop, DnB.
- **Snares:** Backbeats, Ghost Notes, Trap Claps.
- **World:** Afro-Cuban, Clave, Middle Eastern.
- **Polyrhythms:** 3-against-4, 5-against-4. Use these if you want to confuse a dance floor.

### 4. The Visualizer (Right)

The box on the right draws concentric circles and patterns representing your rhythms.

- **Dots:** Your drum hits.
- **Lines:** The playhead.
- *Purpose:* It looks cool. It also helps you see if your patterns align or if they are a chaotic mess.

## Rendering

- **Maximum Beats:** How long should the final loop be?
  - *Note:* The arrows on this box jump by **4 beats** at a time. (Because nobody makes 13-bar loops unless they are trying to be annoying). 4, 8, 16, or 32.
  - This limits the calculated Beats, otherwise some random combinations could be enormous.
- **Beats (Read-Only):** The AI (Hahaha, everyone now uses AI for a simple sum and division) computer (Beat-o-matic if we were in the 1960s) calculates the actual cycle length required to make your polyrhythms loop. If you pick a 7-step rhythm against a

4-step rhythm, this number might get huge. Hence the Maximum beats above it to limit this.

- **BPM:** The tempo of the output file.
- **Downbeat Accent:**
  - *What it does:* Adds a "Humanize" effect where the first beat (the "One") is slightly emphasized with velocity.
  - *Why?* To slightly stop it from sounding like a robot.
- **Output File:** Where the WAV will be saved.
- **Overwrite without asking:** Check this if you are confident and reckless or don't want to answer Yes anytime you hit Render.

## The Buttons

- **Render:** Calculates the audio, mixes your selected regions, and writes the WAV file to your hard drive. It also creates end-start crossfade so the loop plays nicely.
- **Play / Stop:** Previews the rendered WAV file. If you haven't clicked "Render" yet, this button does nothing.
- **Close:** Leaves the dialog.

## Workflow Tip: The "Euclidean Jam"

1. Load a Drum Kit into the main editor. (or any other wav file with 2-8 regions)
2. Open **Polyrhythm Generator**.
3. Select **Region 1 (Kick)** -> Preset "Kick - 4 on the Floor".
4. Select **Region 2 (Snare)** -> Preset "Snare - Backbeat".
5. Select **Region 3 (Hi-Hat)** -> Steps: 16, Pulses: 5, Rotation: 2 (Euclidean Bossa).
6. Click **Render**.
7. Click **Play**.
8. Realize you must be a genius.

Examples:

## 1. House / Techno No-Brainer

*Works at 120–130 BPM, zero thinking required*

- **Kick:** Kick – 4 on the Floor
- **Snare:** Snare – Backbeat (2 & 4)
- **Hats:** Hats – 16th Notes
- **Perc:** Perc – Shaker Constant

Rock-solid club groove. Add filter automation and pretend you're minimal.

## 2. Hip-Hop / Boom-Bap Head Nod

*90–100 BPM, dusty vibes*

- **Kick:** Kick – Hip Hop
- **Snare:** Snare – Half-Time
- **Hats:** Hats – Offbeats (Open)
- **Perc:** Perc – Tambourine Up

Classic pocket. Feels late, relaxed, and confident. Swing comes “for free” just by rotation and density.

## 3. Reggaeton / Dancehall Core

*The “this works everywhere” rhythm*

- **Kick:** Kick – Reggaeton
- **Snare:** Euclid – Tresillo (3:8)
- **Hats:** Hats – 8th Notes
- **Cowbell:** Perc – Cowbell Quarter (quiet, don’t be rude)

Instant dembow backbone. Mute the cowbell if you lack courage.

## 4. Afro / Polyrhythmic Groove

*Sounds complex, is actually not*

- **Kick:** Kick – Heartbeat
- **Snare:** Afro – Bembe (12/8)
- **Hats:** Hats – Shuffle / Swing
- **Perc:** Afro – Fume Fume

Interlocking rhythms that feel alive without sounding academic. Visualizer looks insane. Music still dances.

## 5. Minimal / Euclidean Tech

*For when you want “smart” but subtle*

- **Kick:** Kick – 4 on the Floor
- **Snare:** Euclid – Bossa (5:16)
- **Hats:** Hats – Glitch
- **Perc:** Tom – Tribal Fill (low velocity)

Clean kick, nervous upper rhythm, just enough tension. Perfect for slow builds and fake sophistication.

## 6. DnB / Break-Adjacent

*Fast but controlled*

- **Kick:** Kick – DnB / 2-Step
- **Snare:** Snare – Marching
- **Hats:** Hats – Trap Rolls
- **Perc:** Perc – Shaker Constant

Busy, aggressive, but still loops cleanly. Good test for your Rendered Beats logic too.

## 7. Odd Meter That Grooves

*“Weird” without losing the listener*

- **Kick:** Odd – 7/8 Groove
- **Snare:** Snare – Backbeat (2 & 4) (yes, still works)
- **Hats:** Euclid – Septuple (7:16)
- **Perc:** Perc – Tambourine Up

Feels lopsided but intentional. Great for intros, breakdowns, or prog friends.

## 8. Polyrhythm Flex

*Looks scary, sounds cool*

- **Kick:** Poly – 3 against 4
- **Snare:** Poly – 5 against 4
- **Hats:** Hats – 8th Notes
- **Perc:** Euclid – Cinquillo (5:8)

Long evolving loop, zero randomness. Perfect “how this works?” moment.

## 9. Amen-ish Break

Sounds almost like a boarding school cousin of the most famous drum loop in history.

- **Kick:** Odd - Amen Break (close enough)
- **Snare:** Kick - Heartbeat
- **Hats:** Kick - Reggaeton

4-bar break with ghost snares and subtle fills. Off-grid chaos that somehow grooves. The second kick hit in a genuine Amen break should be delayed 1/16, but try to do it with Euclidean math. No, you can't. So this is as good as it gets.

### Pro Tip

Most of these get **way better** if you:

- Rotate *one* track by 1–3 steps
- Keep kicks boring
- Let *only one* element be clever

## The Auto-Sampling Robot (Stealing Sounds is the new Orange)

**Menu Path:** *Tools-> MultiSample Robot...*

You have a synthesizer. It sounds great. You want those sounds inside your EP. Normally, this involves: pressing a key, hitting record, stopping, trimming start, trimming end, normalizing, assigning to a pad... and repeating that multiple times until you lose the will to live.

**The Auto-Sampling Robot** does this for you. You tell it what to play, it sends MIDI notes to your synth, records the audio response, chopping it up into a perfect multi-sampled instrument while you go get a coffee.

**Remember:** The EP, in its infinite glory, can only handle **8 regions**. If you record 20 slices, the last 12 are going straight into the trash can. Of course, you can export it as an AKAI keygroup and play it on your MPC while contemplating why you bought the EP Audio Editor for all that.

**But wait, that's not all.** The *total* length of the sample (all 8 regions summed together) cannot exceed **20 seconds**.

If you were planning on capturing lush, 5-second reverb tails for every note, forget it. You will hit the EP limit before you finish the scale. Keep your release times short.

**The Cheat Code:** If you absolutely need more time (and you don't mind a little dirt), use the Double Time trick. By speeding up the sampled result 2x and then pitching it down 12 semitones, you can squeeze 40 seconds of audio into that 20-second slot. It sounds lo-fi, but beggars can't be choosers. See "The Repitch Tricks"

## 1. The Setup

This requires physical cables. I know, scary.

1. **Audio In:** Connect your Synth's Audio Output -> Your Computer's Audio Input (like a USB audio interface).
2. **MIDI Out:** Connect your Computer's MIDI Interface OUT -> Your Synth's MIDI Input.
3. **Select Devices:** Pick the correct Audio Device and MIDI Device in the lists.
  - *Tip:* Use the "**Test MIDI**" button. If your synth doesn't beep, check your cables before you email me.

## 2. The Parameters (Telling the Robot what to do)

- **Start / End Note:** Don't be greedy. You have 8 regions in EP. Pick a useful range (like C3 to C5).
- **Sample Every X Semitones:** The "lazy factor."
  - 1: Samples every single key. Memory suicide. EP can't play it anyway, but go ahead.
  - 3: Samples every 3rd note. Good balance.
  - 6: Tritone. You get quite a range with 8 regions.
  - 12: Samples only octaves. The EP will pitch-shift the rest. Sounds "old school" (or bad, depending on your taste).
- **Velocity:** How hard the robot hits the keys (1-127). 100 is usually loud enough.
- **Hold Time:** How long the robot holds the key down (Sustain).
- **Wait After Release:** How long the robot records *after* letting go of the key. **Crucial** if your patch has a long reverb or delay tail. If you cut this short, your reverb will sound chopped.
- **MIDI Channel:** Matches your synth's receive channel.

## 3. Signal Chain

- **Input Volume (Slider):** This is a digital boost *before* recording. If your synth is quiet, crank this up. If you see the meter hitting red, turn it down. Digital clipping sounds like garbage.
- **Monitor Input:** Check this box if you want to hear what you are recording through your computer speakers. Warning: If you are using a microphone, this will cause feedback and hurt your ears. I warned you.

## 4. Processing Options

- **Normalize:** Maximizes the volume of each slice after recording. Turn this on. Why would you want quiet samples?
- **Auto-Trim End:** Detects when the sound actually stops (based on a silence threshold) and cuts the file there. This saves further editing.

## 5. The Procedure

1. Click **Start Sampling**.
2. The Robot takes over. It creates a new project, clears the buffers, and starts the sequence.
3. You will see a progress bar. **Do not touch the computer.**
4. When finished, you will have a single WAV file with all the notes perfectly sliced into Regions with the correct Root Notes mapped.

*Note: If you panic, hit "Stop."*

## 6. The "Sweet Spot"

Since you are mathematically limited to **8 regions**, you can't just set the interval to "1" and hope for the best. Strategy, my Padawan!. See the APPENDIX.

*Note: If you run out of regions, the Robot stops. It doesn't care about your feelings.*

## EP Connection (Hardware Purgatory)

**Menu Path:** *Tools -> EP View*

*This mirrors the web interface EP Sample Tool*

1. Plug in the USB cable. Try to find one that actually transmits data and isn't just for charging your vape.
2. Open **EP View**.
3. Click **Connect** and pray to the MIDI gods.
4. **Upload:** When you drag a sample here, the Editor applies **High-Quality Resampling**.
  - *Why care?* I could have used linear interpolation (which is fast and trash), and you probably wouldn't have noticed. But *I* would have noticed

## Troubleshooting Workflows and Recipes

*(Or: How to dig yourself out of the hole you dug)*

### "My Loop Clicks Like a Geiger Counter"

**The Problem:** The start of your loop is at +50 volume, and the end is at -50. When it loops, the sound has to teleport. That "pop" is the sound of physics hating you.

1. **The Basic fix:**

- Go to **Playback -> Snap to Zero Crossing**. Make sure it is checked.
- Drag your Loop Start and End handles slightly. They will jump to the nearest line where the wave touches the center.
- *Result:* 80% success rate. It will still probably click, but less.

2. **The "Synth" Fix :**

- If you are looping a synth pad or ambient noise, "Zero Crossing" doesn't matter because the sound is a mess of frequencies and you will still hear the transition.
- Select the loop points
- Go to **Audio -> Crossfade Loop**.
- Choose **Equal Power**.
- *What it does:* It takes the audio from *before* the loop starts and blends it into the *end* of the loop.
- Do NOT use this on drums unless you want a double-kick effect
- This works on loop points within a region. It needs some audio before the loop.

3. **The last obvious fix**

- If this is a loop point within a synth sample (sustain loop), try to find another loop points. Look at the level of the audio waveform and try to match the loop where the in and out levels are somehow equal.

Note: Every audio person runs into loop clicking. That wretched little *pop* where the loop is supposed to seamlessly repeat.

There's no single "fix for all." The solution depends entirely on the original audio. At minimum the loop should be at zero crossing and in the same phase.

The **Crossfade** works, usually. It masks the problem by overlapping the two points. If your audio has jarring dynamic changes, sharp transients (like you've recorded a drum hit right at the loop point), it'll still sound like a mess.

The "clicking on the loop point" is a fundamental technical issue and it requires patience and knowing what you're doing, neither of which seems to be in large supply.

## "I Have 20 Regions and apparently EP Wants 8"

**The Problem:** You imported an MPC kit or went crazy with the Auto-Chop. You have too many slices. The EP hardware only has love for 8 slices per sample. Nothing we can do about it.

**The Triage Decision Tree:**

1. **The Drums:**

- Look at the **Region Bar** (top of screen).
- Click the regions that are just "slightly different hi-hats."

- Menu: Selection - Delete Wav Data (Ctrl+DEL)
  - Keep deleting until you have 8.
  - Go to **Notes-> Distribute Notes (Percussive)**
  - Select start note and the scale
  - *What it does: It forces your surviving drum hits into a line. Instead of having a Kick on Pad 1 and a Snare on Pad 4, it maps them sequentially (Pad 1, Pad 2, Pad 3...) depending on your usual scale you use on EP.*
2. **The Multi-Sample:**
- If you are multi-sampling a synth, you probably sampled every key. You don't need every key.
  - Delete every second region, until you get to total number 8.
  - Go to **Notes-> Distribute Notes (Melodic)**.
  - Select **Bias: Sample Downwards**.
  - *What it does: It recalculates the "Key Ranges" for the remaining samples. It stretches the remaining key region to cover the gaps you just made by deleting. The EP pitch-shifts them.*
3. **The "I Don't Care" Method:**
- Just save the file.
  - The software will warn you.
  - It will keep the first 8 and delete the rest.
  - Don't come crying to me

## Tuning Your Wobbly Vinyl Loop

**The Problem:** Your "vintage" turntable (which you found in a dumpster) runs at slightly "unknown" RPM. The loop you recorded sounds perfectly off-key and doesn't fit to anything you play.

**The Fix:**

1. **Find a Note:**
  - Zoom in. Select (CTRL+Drag) a small slice of audio that is a clear, sustained tone (a bass note, synth). Do **not** select a drum hit. Drums do not have pitch, they have impact.
2. **Ask the Machine:**
  - **Menu: Selection -> Estimate Pitch.**
  - Look at the **Deviation** number. This tells you how bad it is.
3. **The Math (Try to keep up):**
  - The tool tells you what the error *is to the closest note and it's called Deviation*. You need to apply the **opposite** to fix it.
  - If Deviation is **+5.2** (Sharp), your correction is **-5.2**.
  - If Deviation is **-2.8** (Flat), your correction is **+2.8**.
4. **Apply It:**

- Select the **Entire Waveform** (Ctrl + A). You want to fix the whole thing..
- **Menu:** *Audio -> Tune/Repitch (Simple)*...
- Type in the **correction value** (the opposite number). Click OK.
- Now you are in 440Hz standard tuning like a professional.

## Drum Break to Single Kick

**The Scenario:** You have the "Amen Break." You only want the Kick drum. You don't want the hi-hat bleeding into it.

1. **Isolate:**
  - Zoom in (Scroll wheel). Select just the Kick.
  - **Menu:** *Selection -> Delete Everything Outside Loop.*
2. **Kill the Bleed (Fade Out):**
  - You can hear a cymbal ringing at the end of the kick.
  - Select the tail of the kick (the last 50%).
  - **Menu:** *Audio -> Fade Out (Exponential).*
  - *Why Exponential?* Linear fades sound weak. Exponential sounds like a natural drum dampener.
3. **Make it a One-Shot:**
  - Global tab - click "oneshot" button in the Mode section.
4. **Downsample (Optional but recommended):**
  - Kicks don't need high frequencies.
  - **Menu:** *ReTime/ReSample-> Downsample to 22kHz.*

## Appendix

### The Microtonal & Historical Tuning Tool

(Or: How to Sound Like You're From 1695 or Outer Space)

**Menu Path:** *Notes -> Historic and World Tunings...*

The EP hardware is hardwired for 12-Tone Equal Temperament (the standard Western tuning where every key is equally out of tune). If you want to play Baroque harpsichord, Indian Ragas, or Gamelan music authentically, the hardware won't help you.

This tool **bakes the tuning directly into the samples**. It takes your existing instrument, resamples each note by precise micro-cents, and maps them to the pads so that when you play a C Major scale, it comes out as "5-Limit Just Intonation" or "Maqam Bayati."

## Prerequisites (Read This First)

1. **You need a Multi-Sampled Instrument:** This doesn't work well on a single drum hit. You need an instrument with multiple regions covering the keyboard range. (This could be more than the 8 allowed on EP)
2. **Set your EP to MAJOR SCALE:** The tool maps the new tuning to the 8 pads of the Major Scale mode (C, D, E, F, G, A, B, C'). If you set your EP to Chromatic mode, the "in-between" notes (C#, D#, etc.) will just be standard 12-TET transpositions of the tuned notes, which might sound exceptionally weird.

## How to Use It

1. **Open the Dialog:** Go to Notes -> Historic and World Tunings...
2. **Select a Preset:** Browse the massive list of tunings. They are grouped by region and style:
  - **Standards:** 432Hz, Just Intonation (Pure Harmony).
  - **Historical:** Mean-tone (Renaissance), Werckmeister (Bach).
  - **World:** Maqam (Middle East), Raga (India), Gamelan (Indonesia).
  - **Experimental:** Partch, Wendy Carlos, Sci-Fi scales.
3. **Check the "Mapping Plan":** The list on the right shows exactly what will happen.
  - *Pad:* Which key on the EP will play the sound.
  - *Tune:* How many cents (+/-) the sample will be shifted.
  - *Quality:* How much the audio quality will degrade (extreme shifts = lower quality).
4. **Audition (The Magic Button):**
  - Check **Audition Scale** to hear a simple C-D-E-F-G-A-B-C run in the new tuning.
  - Check **Audition Melody** to hear a generated melody ("Jesu, Joy of Man's Desiring") in double voice, played with the new tuning. This lets you hear the harmonies and intervals in context. The song was purely chosen because it goes through all the notes of the scale and it is not copyrighted.
5. **Click OK:** The software will process your entire instrument. It deletes the old regions and replaces them with 8 new, microtuned regions.

## Tuning Categories Explained

### The "I Want Pure Chords" Group

- **Just Intonation (5-Limit):** The holy grail of harmony. Major chords (C-E-G) are dead silent and stable with no beating.

- **Meantone (1/4 Comma):** The sound of the Renaissance. The "good" keys sound heavenly; the "bad" keys sound like a wolf howling.
- **Werckmeister III:** The sound of Bach. A "Well-Temperament" that lets you play in all keys, but each key has a different emotional color.

## The "Middle Eastern / Maqam" Group

These scales often use "Neutral Intervals" (quarter-tones) that don't exist on a piano.

- **Bayati:** The most common Arabic Maqam. The 2nd note (E) is half-flat.
- **Hijaz:** The "Aladdin" sound. A Phrygian dominant scale with a massive gap between the 2nd and 3rd notes.
- **Saba:** The "Weeping" scale. Deeply sad and unstable.

## The "Experimental" Group

- **Wendy Carlos Alpha/Beta:** These scales don't have octaves. If you play a C, then a high C, they won't sound like the same note. They sound like aliens.
- **Harry Partch 11-Limit:** Intervals based on the 11th harmonic of the overtone series. Sounds dissonant yet pure.
- **Binaural Beats:** Detunes the samples slightly so that if you hard-pan two layers, your brain generates Alpha/Theta waves. (Requires stereo playback tricks). Of course, it's voodoo.

## Warnings

- **Destructive:** This replaces your current regions.
- **Monophonic Mapping:** Because this relies on repitching specific samples, it works best if you stick to the white keys (Major Scale mode).
- **Audio Quality:** Converting a sample from C to a "Neutral Third" involves resampling. Extreme shifts (like the Gamelan scales) might introduce artifacts. The "Quality" column warns you about this.

The Presets are categorized into the following groups:

### 1. Standards & Just Intonation (4)

- 12-TET (Reference)
- 432Hz "Healing"
- 5-Limit Just Intonation
- 5-Limit Just Intonation (Natural Minor)

### 2. Historical Western (Medieval to Classical) (17)

- Pythagorean Tuning
- Landini (Trecento)
- Zarlino (Old Italian)
- Ancient Greek Diatonic
- Byzantine Chant
- Musette de Cour
- 1/4-Comma Meantone
- Gottfried Silbermann
- 1/8 Comma Meantone (Schismatic)
- Werckmeister III
- Kirnberger III
- Kellner
- Rameau (Temperament Ordinaire)
- Vallotti & Young
- Thomas Young Well Temperament
- Neidhardt "Grosse Stadt"
- Arnolt Schlick

### 3. European Folk, Modal & Drones (68)

- **General/Celtic:** Sea Shanty, Pirate Minor (Dorian), Hurdy-Gurdy, Georgian Polyphony, Cornemuse du Centre.
- **Iberian:** Fado/Saudade, Cante Alentejano, Spanish Gypsy, Deep Flamenco, Basque Trikitixa, Galician Gaita, Asturian Gaita, Portuguese Gaita.
- **Central Europe:** Cabrette, Zampogna, Hungarian Minor/Major, Hungarian Duda, Roma Cardas, Roma Manouche.
- **Slavic/Carpathian:** Fujara, Czech Dudy, Polish Dudy, Hutsul, Lemko, Znamenny Chant, Kobzar, Kolomyjka, Belarusian Kupalye.
- **Balkans:** Romanian Doina, Cimpoi, Transylvanian Major, Serbian Cocek, Serbian Gajde, Macedonian Oro, Croatian Duda, Albanian Lab, Bulgarian Paidushko, Bulgarian Women's Choir, Shopski, Thracian Gaida, Macedonian Gajda.
- **Greek:** Rebetiko, Hitzaz, Greek Tsampouna.
- **Baltic:** Sutartines, Latvian Dainas, Estonian Regilaul, Torupill.
- **Alpine/Med:** Sardinian Tenores, Launeddas, Swiss Jodel, Corsican Paghjella, Sicilian Carrettiere.
- **Nordic:** Hardanger Fiddle, Kulning, Swedish Polska, Sackpipa, Finnish Runosong, Faroese Kvaedi, Icelandic Rimur.
- **British Isles:** Highland Bagpipe, Smallpipes, Irish Sean-nos, Welsh Penillion, English Folk, Cornish/Breton, Shetland Fiddle.

### 4. Middle East & India (23)

- **Arabic/Turkish:** Soft/Trad Quarter-Tone, Maqam Bayati, Nahawand, Saba, Sikah, Hijaz, Turkish Tulum, Egyptian Arghul.

- **Indian Ragas:** Bhairav, Ahir Bhairav, Yaman (Calm/Bright), Todi, Marwa, Purvi, Experimental Shruti, Mashak/Titti.
- **Persian:** Shur, Segah.
- **Jewish:** Freyghish, Mi Sheberach, Adonoy Molokh.

## 5. Asia, Africa, Central Asia (21)

- **Japan:** Hirajoshi, Miyako-bushi, Ryukyu.
- **China/Korea/Vietnam:** Yayue, Pyongjo, Kyemyonjo, Vietnamese Bac, Vietnamese Nam.
- **Indonesia:** Gamelan Slendro (Approx/Siwalik), Pelog.
- **Africa:** Equi-Heptatonic, Ethiopian Tizita (Nostalgia/Major), Mandinka Kora, Shona Mbira, Tunisian Mizwad.
- **Central Asia:** Tuvan Khoomei, Mongolian Urtyn Duu, Kazakh Dombra, Kyrgyz Komuz.

## 6. Americas (42)

- **North American Folk:** Andean Sikus, Appalachian Mountain Minor, Graveyard, Calico, Cumberland Gap, Ozark Modal, Sacred Harp, Field Holler, Spiritual, Cajun/Zydeco, Tejano Conjunto, Quebecois, Clawhammer Banjo.
- **Indigenous North:** Lakota Flute, Navajo, Plains Nations, Cherokee, Iroquois, Potlatch, Inuit Katajjaq.
- **Mexico/Central:** Son Jarocho, Mayan, Garifuna.
- **Caribbean:** Steel Pan, Cuban Son, Haitian Vodou, Jamaican Nyabinghi, Puerto Rican Bomba, Dominican Palo.
- **South America:** Peruvian Huayno, Bolivian Tarkeada, Argentine Tango, Brazilian Baiao, Choro, Candomble, Venezuelan Joropo, Colombian Cumbia, Amazonian.

## 7. Oceania (17)

- **Polynesia:** Hawaiian Slack-Key, Oli, Maori Taonga Puoro, Tahitian Himene, Samoan Pese, Tongan Lakalaka.
- **Melanesia/Micro:** PNG Highlands, Solomon Are'are, Fijian Meke, Vanuatu Tam-Tam, Chuukese, Palauan, Chamorro.
- **Australia:** Yolnu Manikay, Didgeridoo/Yidaki, Central Australian, Torres Strait.

## 8. Jazz, Blues & Theory (14)

- Major/Minor Pentatonic, Septimal Blues, Coltrane Augmented, Bebop Dominant, Delta Blues, Acoustic Guitar Sweetener, Piano Stretch (Railsback), Honky-Tonk, Brass Harmonics, Choir/Barbershop, Messiaen Mode 3, Altered Scale, Lydian Dominant.

## 9. Experimental & Sci-Fi (24)

- Octatonic, Whole Tone, Lofi/Tape Warp, Scriabin Prometheus, High-Limit JI, 19-TET, Spectral Harmonics 8-16, Euler's Genus, Golden Ratio (Phi), La Monte Young, Verdi Enigmatic (Standard/432Hz), Bohlen-Pierce, Wendy Carlos (Alpha/Beta/Gamma), Harry Partch (Otonality/Utonality), Erv Wilson Hexany, 22-TET, Binaural Beats (Alpha/Theta/Beta), Uncanny Valley.

## The "Sweet Spot" Cheat Sheet

Since you are mathematically limited to **8 regions**, you can't just set the interval to "1" and hope for the best. Strategy, my Padawan!. Here are the settings I use to get the most playable range out of specific instruments.

Instrument	Start Note	Sample Every (Interval)	Range Covered	Why?
<b>Bass</b>	<b>C1 (24)</b>	<b>3 (Minor 3rd)</b>	C1 to C3	Bass lines live in the basement. If you are playing a bass solo in the 5th octave, you need a therapist. This gives you a high-detail low end.
<b>Leads / Synths</b>	<b>C3 (48)</b>	<b>4 (Major 3rd)</b>	C3 to G#5	Covers the main melody range. The pitch shifting is minimal (max +/- 2 semitones), so it won't sound like a drunk chipmunk.
<b>Pads / Strings</b>	<b>C2 (36)</b>	<b>6 (Tritone)</b>	C2 to C6	Pads tolerate pitch-shifting better than plucks. A Tritone interval gives you a massive 4-octave range with only 8 regions.
<b>Piano / Keys</b>	<b>C2 (36)</b>	<b>5 (Perfect 4th)</b>	C2 to G#5	You aren't playing Rachmaninoff on a calculator. This covers the chords and the melody range decently well, though stretching a piano by 5 semitones starts to sound a bit like a flea-market CASIO. Since the piano has a nice decay, capture longer tails and then

use the **Double Time trick** to fit it all in the 20 sec EP limit.

<b>808s / Subs</b>	<b>C1 (24)</b>	<b>2</b> (Whole Tone)	C1 to E2	For 808 glides, you want maximum resolution in the sub frequencies. Don't stretch subs too far or they turn into sub-mud.
<b>"Old School"</b>	<b>C0 (12)</b>	<b>12</b> (Octave)	C0 to C8	Covers the entire MIDI board. It will sound lofi and crunchy between the octaves. Some people pay extra for that sound.

Here is the **Orchestral** cheat sheet. Orchestral instruments are the hardest to sample because if you stretch a violin too far, it sounds like a mosquito. If you stretch a tuba, it sounds like a dying cow. You have to be careful.

Instrument	Start Note	Sample Every	Range Covered	Why?
<b>String Sections</b>	<b>C2 (36)</b>	<b>6</b> (Tritone)	C2 to C6	Ensembles are forgiving. A Tritone interval gives you the full range from Cello lows to Violin highs in exactly 8 regions. Acceptable for cinematic pads.
<b>Solo Violin</b>	<b>G3 (55)</b>	<b>3</b> (Minor 3rd)	G3 to G5	Solo strings sound fake immediately if you stretch them just a semitone. This covers the "money range" of the violin, but you probably won't get any money for this one.
<b>Solo Cello</b>	<b>C2 (36)</b>	<b>4</b> (Major 3rd)	C2 to E4	The cello relies on body resonance. Stretching it more than a Major 3rd destroys that woody texture and makes it sound like a plastic garbage disposal.

<b>Brass Section</b>	<b>C2 (36)</b>	<b>5 (Perfect 4th)</b>	C2 to G#5	Brass has complex overtones. A Perfect 4th is the maximum stretch before it starts sounding like Cranky Man playing a kazoo ensemble.
<b>Trumpet</b>	<b>F#3 (54)</b>	<b>3 (Minor 3rd)</b>	F#3 to F5	Trumpets are formant-sensitive. Do not get greedy here. 3 semitones max, or it will sound like a synthesizer from 1992. Well, it will probably sound like it anyway.
<b>Synth Choir</b>	<b>C3 (48)</b>	<b>4 (Major 3rd)</b>	C3 to G#5	Human voices are the first thing the ear detects as "fake." Synth choirs already sound fake so you can afford to have a little range.
<b>Choir (Realistic)</b>	<b>C3 (48)</b>	<b>2 (Whole Tone)</b>	C3 to D4	You only get about one octave of playable range with 8 regions, but at least it won't sound like a helium accident.
<b>Women's Choir</b>	<b>C4 (60)</b>	<b>2 (Whole Tone)</b>	C4 to E5	<b>High risk.</b> Female voices are unforgiving. For female vocals, the "formant shift" (the chipmunk effect) happens even faster than with male voices. Pitching them down adds a weird "masculine" grogginess, and pitching them up turns them into Mickey Mouse Pixies. An interval of 2 is the absolute maximum safety limit.
<b>Orch Hits / Stabs</b>	<b>C3 (48)</b>	<b>6 (Tritone)</b>	C3 to C7	It's a stab. It's supposed to sound sampled and gritty. You can get away with murder here, but be warned: an orchestral hit at C7 doesn't sound "Epic," it sounds like a Hitchcock movie.
<b>Flutes / Winds</b>	<b>C4 (60)</b>	<b>3 (Minor 3rd)</b>	C4 to C6	Wind instruments sound terrible when stretched. Keep the intervals tight if you want it to sound like a flute and not a penny whistle. In

EP-1320 Medieval they sampled almost every semitone in the sweet spot.

---

## Keyboard Cheat Sheet

Key	Result
<b>Space</b>	Play/Stop (The only button you will actually use)
<b>L</b>	Toggle Looping
<b>I / O</b>	Set Loop In / Out points.
<b>Ctrl + A</b>	Select All.
<b>Ctrl + Z</b>	Undo (The "I messed up" button).
<b>Ctrl + Del</b>	Deletes wave data inside the selection.
<b>Home</b>	Set playhead to start.
<b>Scroll Wheel</b>	Zoom.
<b>Alt + Scroll</b>	Scroll sideways.
<b>Single Click</b>	(On Region Header) Selects that region.
<b>Double-Click</b>	(On Waveform) Selects the region under mouse. (On Piano Roll) Expands/Collapses the piano view.